Retail Price Book

JANUARY 1, 2014

audioquest®

audioquest®

NORTH AMERICAN RETAIL PRICE BOOK

Returns

- All returns are subject to approval by AudioQuest.
- All returns may be subject to a 20% re-stocking charge.
- Built-to-order products may not be returned.
- A Return Merchandise Authorization (RMA) number must be issued by AudioQuest before any product may be returned.
- The RMA number must appear on the outside of the shipping carton, near or on the address label.

Contact Information

Telephone: **949.585.0111**
Fax: **949.585.0333**
Toll Free: **800.747.2770**

US e-mail Return Merchandise Authorization (RMA): **rma@audioquest.com**

Canadian e-mail Return Merchandise Authorization (RMA): **rma.canada@audioquest.com**

E-mail all other correspondence: **info@audioquest.com**

2621 White Road, Irvine, CA 92614 • www.audioquest.com

As used throughout this price book, “Retail” carries the same meaning as Manufacturer’s Suggested Retail Price (M.S.R.P)

Copyright © 2014 AudioQuest All rights reserved.

AudioQuest History

AudioQuest's founder and chief designer, William E. Low (Bill), likes to say he never wanted a job, and never had a plan. What Bill means is that he became interested in audio equipment as a teenager and then as a college student through his love of music. Eventually necessity led him into designing and managing signal-carrying cables. So, AudioQuest was never planned so much as it evolved …

Like many of his generation, Bill was swept up in the unprecedented rate of change in the popular consciousness instigated by the music of the 1960s and early 1970s. This revolution changed the fundamental language of our culture forever, and being swept up in this cultural wave had a profound effect on Bill's direction in life.

Like Apple's Steve Jobs, Bill attended progressive Reed College in Portland, Oregon in the early 1970s where he shared his passion for music by selling audio systems to his classmates. By 1976, with his college days in the rearview mirror, Bill found moving to California and working in audio irresistible. After a one-year stint as a manufacturer's representative in the San Francisco Bay Area, Bill continued south, eventually opening a small, by-appointment, high-end audio salon in Santa Monica.

During this time, Bill recognized that deficiencies in signal-carrying cables were a source of a significant share of the distortion in an audio system (a realization Bill would also come to regarding video cables by the time the home theater boom began in the late 1980s and 1990s).

By the end of 1980, Bill was selling his LiveWire-branded cable to 42 specialty audio dealers in Southern California. With no formal business plan and just a few hundred dollars in the bank, Bill established AudioQuest and in 1981 expanded distribution throughout the United States and to every continent.

Thirty-plus years later AudioQuest is the premier provider of high-performance audio and video cables and accessories. AudioQuest's continuing success is driven by not being held prisoner to existing approaches and never resting on laurels. AudioQuest's ideals appeal to newbies with passionate curiosity and people willing to join us in our never-ending quest for lower distortion and better sound.

Do No Harm

Great sound and great pictures, music that consumes you, movies that transport you around the universe … all come from honoring the original signal. The signal is at its greatest potential … is least damaged … at the source. It's an unavoidable fact that every component and cable in an audio/video system causes distortion, robbing the sound or the picture of some portion of its ability to inspire and to entertain. These aberrations add up like layers of dirty glass between you and an image you are trying to see. Better cables and components cannot improve the signals they carry … performance can only be improved by causing less distortion of the original signal.



The goal of high-quality components is to be like cleaner panes of glass … to minimize alteration or distortion of the signal. *Do No Harm!*

The Four Elements

The foundation on which AudioQuest's cables are built comprises the following four fundamental "elements" of design and manufacture. Another way to think of this is that these elements comprise the basic "recipe" for all cables. The choices the cable designer makes in selecting and balancing these materials and construction techniques determine the cable's ability to reduce distortion and noise and deliver high performance. An off-the-shelf cake mix, for example, might produce an edible product, but that's unlikely to match the efforts of an educated pastry chef who handpicks the finest, freshest local ingredients.

Solid Conductors

Strand interaction is the single greatest cause of distortion in cable. Semi-Solid Concentric Packed Conductors avoid many strand-interaction distortion mechanisms. Solid-core conductors are the complete solution to this problem.

Metal

Conductor metal quality is critical for the best cable performance. The conductor surface is the only area of the conductor with 100% current density at all frequencies. Smoothness of the conductor surface is paramount because the surface is a guide-rail for the entire energy envelope. The best copper and silver conductor metals have fewer grain boundaries and low oxygen content for low distortion and high performance.

Geometry

Geometry is the physical relationship of the conductors to one another within a cable. This determines the basic electrical characteristics of the cable. Different cable applications have different and specialized geometry requirements. Better geometry reduces distortion.

Dielectric (Insulation)

Insulation is necessary to keep the positive and negative conductors separate and to give stability to cable geometry. Insulation is also a "dielectric" because it is inside the conductor's magnetic field. Dielectrics absorb energy, which after a delay is then released in the signal, causing smearing and distortion. Better insulation reduces distortion by absorbing less energy.

DragonFly USB DAC

DragonFly USB Digital-Audio Converter (v1.2)

Version 1.2
Even smoother and more open sound!

Retail
149.00

DRAGONFLY®

USB DAC + Preamp + Headphone Amp

Beautiful Sound From Any Computer, Anywhere

- USB-Stick-Size Digital-Audio Converter
- Plays All Music Files: MP3 to High-Res
- Drives Headphones Directly
- Variable Output Drives Powered Speakers or Power Amp
- Fixed Output Feeds Preamp or Receiver
- Asynchronous Transfer Ensures Digital Timing Integrity
- Dual Fixed-Frequency Master Clocks Enable Optimal 'Clocking' (Digital Timing) for All Sample Rates

DragonTail USB 2.0 Extender

DragonTail USB 2.0 Extender

DRAGONTAIL™

USB 2.0 Extender

- Solid 5% Silver Conductors
- Signal Conductors Controlled for Digital-Audio Directionality

Retail
16.95

How to Order Interconnect Cables

When ordering any factory terminated interconnect cable, please include these required elements:

	Qty.	Pair	Length	Model	Termination: Source End		Termination: Destination End
Example	1	Pair	3.0m	Big Sur	RCA	to	RCA

Choice of Applications:

3.5mm ↔ 3.5mm	3.5mm Male ↔ Female [1]	3.5mm ↔ RCA	DIN ↔ DIN [2]	RCA ↔ RCA	iPod 30-pin ↔ 3.5mm [1]	iPod 30-pin ↔ RCA [1]

[1] 3.5mm female and iPod 30-pin only available in certain models and certain lengths, please see the grid, [2] other DIN configurations available.

Bridges & Falls

Bridges & Falls cables not only honor the fact that today's components require vastly more connectivity options than ever before, they take advantage of the efficiencies of making single-ended stereo cables in a single jacket to apply many of AudioQuest's most proven distortion-minimizing ingredients and design techniques. In Bridges & Falls you'll find better metals and other exotic materials and technologies—including Air-Tube insulation (Dielectric), Dielectric-Bias System (DBS), and multi-layer Noise-Dissipation System (NDS)—at lower price points than ever before. While the design and materials employed in Bridges & Falls are formidable, there are very real reasons to choose cables from the Rivers and Cosmic series. To accommodate the single (left/right in one) jackets, Bridges & Falls' solid conductors are smaller, and while Air-Tube insulation appears in this line, the tubes are by necessity smaller than you'll find in the Rivers and Cosmic series interconnects.

While DBS is present in a number of Bridges & Falls, DBS cannot extend all the way to the plugs. None of this diminishes the astonishing cost-effective performance of Bridges & Falls, but it's important to know that even when the materials look identical there are still substantial reasons—reasons which are perfectly audible—for customers to choose Rivers and beyond when applications allow.

Analog-Audio Interconnect Cables – Bridges & Falls

	Tower	Evergreen	Golden Gate	Big Sur
Metal	Solid Long-Grain Copper (LGC)		Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
Geometry	Asymmetrical Double-Balanced (Lower Impedance on Ground, Same Quality + & – Conductors)			
Dielectric	Foamed-Polyethylene			
Noise-Dissipation System (NDS)	Metal-Layer Noise-Dissipation System			
Jacket	Black/White Stripe PVC	Black/Green Braid	Black/Red Braid	Black/Brown Braid
Terminations	Cold-Welded, Gold-Plated			Cold-Welded, Gold-Plated Pure Purple Copper
Custom Leg-Length Option	No			

3.5mm Mini ↔ 3.5mm Mini Male	Yes		
3.5mm Mini ↔ 3.5mm Mini Female[1]	No	Yes, 2m & 5m Only	No
3.5mm Mini ↔ RCAs	Yes		
DIN ↔ DIN[2]	No		Yes
RCAs ↔ RCAs	Yes		
iPod 30-pin ↔ 3.5mm Mini[1]	No	Yes, 1m, 2m, 3m & 5m	
iPod 30-pin ↔ RCAs[1]	No	Yes, 1m, 2m, 3m & 5m	

Meter	Feet	Retail	Retail	Retail	Retail
0.6m	2' 0"	23.00	32.00	65.00	97.00
1.0m	3' 4"	25.00	35.00	69.00	109.00
1.5m	5' 0"	28.00	39.00	74.00	124.00
2.0m	6' 7"	30.00	42.00	79.00	139.00
3.0m	10' 0"	35.00	49.00	89.00	169.00
5.0m	16' 5"	45.00	63.00	109.00	229.00
8.0m	26' 3"	60.00	84.00	139.00	319.00
12.0m	39' 5"	80.00	112.00	179.00	439.00
16.0m	52' 6"	100.00	140.00	219.00	559.00
20.0m	65' 7"	120.00	168.00	259.00	679.00

Choice of Applications:

3.5mm ↔ 3.5mm	3.5mm Male ↔ Female[1]	3.5mm ↔ RCA	DIN ↔ DIN[2]	RCA ↔ RCA	iPod 30-pin ↔ 3.5mm[1]	iPod 30-pin ↔ RCA[1]

[1] 3.5mm female and iPod 30-pin only available in certain models and certain lengths, please see the grid, [2] other DIN configurations available.

Analog-Audio Interconnect Cables – Bridges & Falls

	Sydney	Victoria	Yosemite	Angel
		72v DBS	72v DBS	72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)			Solid Perfect-Surface Silver (PSS)
Geometry	Asymmetrical Double-Balanced (Lower Impedance on Ground, Same Quality + & – Conductors)			
Dielectric	Polyethylene Air-Tubes		FEP Air-Tubes (FEP is a Fluoro-Polymer)	
Noise-Dissipation System (NDS)	Carbon-Based 3-Layer Noise-Dissipation System			
Jacket	Black/Dark Gray Braid	Black/Blue Braid	Black/Green Braid	Black/Silver Braid
Terminations	Cold-Welded, Direct-Silver Plated Pure Purple Copper	Cold-Welded, Direct-Silver Plated Pure Red Copper		
Custom Leg-Length Option	No	Yes. If needed, specify leg-length with order (as measured from the breakout to the back of the RCA)		
3.5mm Mini ↔ 3.5mm Mini Male	Yes			
3.5mm Mini ↔ 3.5mm Mini Female[1]	No	Yes, 2m & 5m Only	Yes	
3.5mm Mini ↔ RCAs	Yes			
DIN ↔ DIN[2]	Yes			
RCAs ↔ RCAs	Yes			
iPod 30-pin ↔ 3.5mm Mini[1]	Yes, 1m, 2m, 3m & 5m	No		
iPod 30-pin ↔ RCAs[1]	Yes, 1m, 2m, 3m & 5m	No		

Meter	Feet	Retail	Retail	Retail	Retail
0.6m	*2' 0"*	155.00	265.00	525.00	865.00
1.0m	*3' 4"*	179.00	295.00	595.00	995.00
1.5m	*5' 0"*	209.00	345.00	695.00	1,195.00
2.0m	*6' 7"*	239.00	395.00	795.00	1,395.00
3.0m	*10' 0"*	299.00	495.00	995.00	1,795.00
5.0m	*16' 5"*	419.00	695.00	1,395.00	2,595.00
8.0m	*26' 3"*	599.00	995.00	1,995.00	3,795.00
12.0m	*39' 5"*	839.00	1,395.00	2,795.00	5,395.00
16.0m	*52' 6"*	1,079.00	1,795.00	3,595.00	6,995.00
20.0m	*65' 7"*	1,319.00	2,195.00	4,395.00	8,595.00
For Other Lengths, Use Formula:		N/A	100.00/m + 195.00	200.00/m + 395.00	400.00/m + 595.00

Choice of Applications:

3.5mm ↔ 3.5mm	3.5mm Male ↔ Female[1]	3.5mm ↔ RCA	DIN ↔ DIN[2]	RCA ↔ RCA	iPod 30-pin ↔ 3.5mm[1]	iPod 30-pin ↔ RCA[1]

[1] 3.5mm female and iPod 30-pin only available in certain models and certain lengths, please see the grid, [2] other DIN configurations available.

How to Order Interconnect Cables

When ordering any factory terminated interconnect cable, please include these required elements:

	Qty.	Pair or Single	Length	Model	Termination: Source End		Termination: Destination End
Example	1	Pair	3.0m	Columbia	XLR	to	XLR
	1	Single	4.5m	Red River	RCA	to	RCA

When ordering 3 (or 5 or more) individual cables which are usually sold in pairs, please order:
1 pair + 1 single (or 2 pairs + 1 single, as appropriate)

Analog-Audio Interconnect Cables

Pair prices shown. Also available as singles (such as for center channel or subwoofer) at 50% of pair price.

	Red River	Red River	Mackenzie	Yukon
				
Metal	Solid Long-Grain Copper		Solid Perfect-Surface Copper+ (PSC+)	
Geometry	Triple-Balanced (Separate Ground-Reference Conductor)			
Dielectric	Nitrogen-Injected Hard-Cell Foam			Polyethylene Air-Tubes
Noise-Dissipation System	Metal-Layer NDS		Carbon-Based 3-Layer Noise-Dissipation System	
Jacket	Black/Red Braid or CL3/FT4 PVC Bulk cable and plugs also available, see page 42.		Black/Brown Braid or CL3/FT4 PVC Bulk cable and plugs also available, see page 42.	Black/Silver Braid
Terminations	Cold-Welded, Gold-Plated		Cold-Welded, Hanging-Silver directly over pure Purple Copper	

Meter	Feet	RCA Retail	XLR Retail	RCA or XLR Retail	RCA or XLR Retail
0.5m pair	*1' 8"*	89.00	109.00	149.00	245.00
0.75m pair	*2' 6"*	94.00	114.00	159.00	270.00
1.0m pair	*3' 4"*	99.00	119.00	169.00	295.00
1.5m pair	*5' 0"*	109.00	129.00	189.00	345.00
2.0m pair	*6' 7"*	119.00	139.00	209.00	395.00
3.0m pair	*10' 0"*	139.00	159.00	249.00	495.00
4.0m pair	*13' 2"*	159.00	179.00	289.00	595.00
4.5m pair	*14' 9"*	169.00	189.00	309.00	645.00
5.0m pair	*16' 5"*	179.00	199.00	329.00	695.00
6.0m pair	*19' 9"*	199.00	219.00	369.00	795.00
7.0m pair	*23' 0"*	219.00	239.00	409.00	895.00
7.5m pair	*24' 8"*	229.00	249.00	429.00	945.00
8.0m pair	*26' 3"*	239.00	259.00	449.00	995.00
9.0m pair	*29' 7"*	259.00	279.00	489.00	1,095.00
10.0m pair	*32' 10"*	279.00	299.00	529.00	1,195.00
For Other Lengths, Use Formula:		**20.00/m + 79.00**	**20.00/m + 99.00**	**40.00/m + 129.00**	**100.00/m + 195.00**

Analog-Audio Interconnect Cables

Pair prices shown. Also available as singles (such as for center channel or subwoofer) at 50% of pair price.

Columbia

72v DBS

RCA or XLR

Colorado

72v DBS

RCA or XLR

Niagara

72v DBS

RCA or XLR

Metal	Solid Perfect-Surface Copper+ (PSC+)		Solid Perfect-Surface Silver (PSS)
Geometry	Triple-Balanced (Separate Ground-Reference Conductor)		
Dielectric	Polyethylene Air-Tubes	FEP Air-Tubes (FEP is a Fluoro-Polymer)	
Noise-Dissipation System (NDS)	Carbon-Based 3-Layer Noise-Dissipation System		
Jacket	Black/Green/Gray Braid	Black/Red/Gray Braid	Black/Gray/Silver Braid
Terminations	Cold-Welded, Direct-Silver Plated Pure OCC Copper		

Meter	Feet	Retail	Retail	Retail
0.5m pair	*1' 8"*	**420.00**	**720.00**	**1,300.00**
1.0m pair	*3' 4"*	**495.00**	**895.00**	**1,800.00**
1.5m pair	*5' 0"*	**570.00**	**1,070.00**	**2,300.00**
2.0m pair	*6' 7"*	**645.00**	**1,245.00**	**2,800.00**
3.0m pair	*10' 0"*	**795.00**	**1,595.00**	**3,800.00**
5.0m pair	*16' 5"*	**1,095.00**	**2,295.00**	**5,800.00**
10.0m pair	*32' 10"*	**1,845.00**	**4,045.00**	**10,800.00**
For Other Lengths, Use Formula:		**150.00/m + 345.00**	**350.00/m + 545.00**	**1,000.00/m + 800.00**

Sky

72v DBS

RCA or XLR

Wild Blue Yonder

72v DBS

RCA or XLR

WEL Signature

72v DBS

RCA or XLR

Metal	Solid Perfect-Surface Silver (PSS)		
Geometry	Triple-Balanced (Separate Ground-Reference Conductor)		
Dielectric	FEP Air-Tubes (FEP is a Fluoro-Polymer) 50% more air than Niagara	FEP Air-Tubes (FEP is a Fluoro-Polymer) 71% more air than Niagara	FEP Air-Tubes (FEP is a Fluoro-Polymer) 117% more air than Niagara
Noise-Dissipation System (NDS)	Carbon-Based 5-Layer NDS	Carbon-Based 7-Layer Noise-Dissipation System	
Jacket	Black/Blue Braid	Navy Blue Braid	Black Braid
Terminations	Cold-Welded, Direct-Silver Plated Pure OCC Copper	Cold-Welded, Hanging-Silver directly over machined pure Red Copper	

Meter	Feet	Retail	Retail	Retail
0.5m pair	*1' 8"*	**2,050.00**	**3,400.00**	**6,050.00**
1.0m pair	*3' 4"*	**2,900.00**	**4,500.00**	**7,500.00**
1.5m pair	*5' 0"*	**3,750.00**	**5,600.00**	**8,950.00**
2.0m pair	*6' 7"*	**4,600.00**	**6,700.00**	**10,400.00**
3.0m pair	*10' 0"*	**6,300.00**	**8,900.00**	**13,300.00**
5.0m pair	*16' 5"*	**9,700.00**	**13,300.00**	**19,100.00**
10.0m pair	*32' 10"*	**18,200.00**	**24,300.00**	**33,600.00**
For Lengths Over 10.0m, Use Formula:		**1,700.00/m + 1,200.00**	**2,200.00/m + 2,300.00**	**2,900.00/m + 4,600.00**

Subwoofer Cables

Subwoofer cables are single cables with a separate chassis-ground connector

Black Lab

Irish Red

Boxer



Metal	Solid Long-Grain Copper (LGC)	Solid 0.5% Silver	Solid 1.25% Silver
Geometry	Symmetrical Coax		Double-Balanced
Dielectric	Foamed-Polyethylene		Polyethylene Air-Tubes
Noise-Dissipation System	Metal-Layer Noise-Dissipation System		Carbon-Based 3-Layer Noise-Dissipation System
Jacket	Black/White Stripes CL3/FT4 Rated PVC	• Up to 5m - Black/Red Braid • 8m and Longer - CL3/FT4 Rated Black/Red Stripes PVC	• Up to 5m - Black/Brown Braid • 8m and Longer - CL3/FT4 Rated Black/Brown Stripes PVC
Terminations	Cold-Welded, Gold-Plated		Cold-Welded, Hanging-Silver directly over pure Red Copper

Meter	Feet	Retail	Retail	Retail
2.0m	*6' 7"*	**34.00**	**79.00**	**159.00**
3.0m	*10' 0"*	**39.00**	**89.00**	**179.00**
5.0m	*16' 5"*	**49.00**	**109.00**	**219.00**
8.0m	*26' 3"*	**64.00**	**139.00**	**279.00**
12.0m	*39' 5"*	**84.00**	**179.00**	**359.00**
16.0m	*52' 6"*	**104.00**	**219.00**	**439.00**
20.0m	*65' 7"*	**124.00**	**259.00**	**519.00**

Husky

72v DBS

RCA or XLR

Wolf

72v DBS

RCA or XLR

Wild Dog

72v DBS

RCA or XLR

Metal	Solid 5% Silver	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)
Geometry	Triple-Balanced		
Dielectric	Polyethylene Air-Tubes	FEP Air-Tubes (FEP is a Fluoro-Polymer)	
Noise-Dissipation System	Carbon-Based 4-Layer Noise-Dissipation System		
Jacket	Black/Blue Braid or CL3/FT4 Rated Black/Blue Stripes PVC, Any Length	Black/Silver Braid or CL3/FT4 Rated Black/Dark Gray Stripes PVC, Any Length	Navy Blue Braid, Any Length
Terminations	Cold-Welded, Hanging-Silver directly over pure Red Copper		

Meter	Feet	Retail	Retail	Retail
2.0m	*6' 7"*	**309.00**	**695.00**	**1,495.00**
3.0m	*10' 0"*	**359.00**	**795.00**	**1,995.00**
5.0m	*16' 5"*	**459.00**	**995.00**	**2,995.00**
8.0m	*26' 3"*	**609.00**	**1,295.00**	**4,495.00**
12.0m	*39' 5"*	**809.00**	**1,695.00**	**6,495.00**
16.0m	*52' 6"*	**1,009.00**	**2,095.00**	**8,495.00**
20.0m	*65' 7"*	**1,209.00**	**2,495.00**	**10,495.00**
For Other Lengths, Use Formula:		**50.00/m + 209.00**	**100.00/m + 495.00**	**500.00/m + 495.00**

For REL subwoofer cables, see page 23.

Splitters and RCA Adaptors: Mini Plugs

**For subwoofers requiring the use of both RCA input jacks,
Order FLX-X RCA splitter (FEMALE RCA → 2 MALE RCAs) in addition to the subwoofer cable**

	FLX-Mini Splitter	FLX-Mini/RCA Adaptor	FLX-X RCA Splitters	
				
	Part Number: MINI-FLX3.5	Part Number: MINI-FLX3.52RCA	Part #: M22F-FLX-X	Part #: F22M-FLX-X
Metal	Solid Perfect-Surface Copper+	Solid Perfect-Surface Copper+	Solid Long-Grain Copper (LGC)	
Jacket	Silver/White Braid	Silver/White Braid	Black/Gray Braid	
Connectors	Male Stereo 3.5mm ↔ 2 x Female Stereo 3.5mm	Male Stereo 3.5mm ↔ 2 x Female RCA (L & R)	RCA Male ↔ 2 Female (L & R)	RCA Female ↔ 2 Male (L & R)
Length	15cm (6 in.)	15cm (6 in.)	15cm (6 in.)	
Retail	16.95	16.95	16.95	16.95

	Hard Mini/RCA Adaptor
	Part Number: 3.5MM2RCA
Connectors	Male 3.5mm ↔ 2 x Female RCA (L & R)
Retail	12.95

Audio/Video Adaptors & Couplers in Retail Packaging

RCA ↔ BNC Female RCA ↔ Male BNC	RCA ↔ RCA Female RCA ↔ Female RCA	F → RCA MALE Female F ↔ Male RCA	M21F-90 Female RCA ↔ Right-Angle Male RCA	F → BNC MALE Female F ↔ Male BNC	F-90˚ Male ↔ Female Adaptor	F ↔ F Female F ↔ Female F	Hard RCA Splitter RCA Male ↔ 2 Female
							
Part Number: RCA2BNC-S	Part Number: RCA2RCA-S	Part Number: F2RCA-S	Part Number: M21F-90S	Part Number: F2BNC-S	Part Number: M21FF90S	Part Number: F2F-S	Part Number: M22F-HRD
Retail 6.95	Retail 6.95	Retail 9.95	Retail 9.95	Retail 9.95	Retail 6.95	Retail 6.95	Retail 12.95

Tonearm Cables

	Wildcat Tonearm	Cougar Tonearm 72v DBS	LeoPard Tonearm 72v DBS	Wild LP 72v DBS	WEL Signature 72v DBS
Metal	Solid PSC	Solid PSC+	Solid Perfect-Surface Silver (PSS)		
Dielectric	Foamed-Polyethylene		FEP Air-Tubes (FEP is a Fluoro-Polymer)		
Noise-Dissipation System	No	Carbon-Based 3-Layer NDS	Carbon-Based 4-Layer Noise-Dissipation System		
Capacitance	Less than 65pF/1.5m	Less than 65pF/1.5m	Less than 56pF/1.2m	Less than 56pF/1.2m	Less than 56pF/1.2m
Jacket	White/Gray Braid	Black Braid	Gray PVC	Black/Blue Stripes PVC	Black/Gray Stripes PVC
Termination	Gold-Plated RCA to JIS	Cold-Welded, Direct-Silver Plated RCA to JIS	Right-Angled or Straight Machined-Barrel 5-Pin JIS Plug to 2 x RCA Plugs + Ground. RCA or XLR or RCA ↔ RCA	Right-Angled or Straight Machined-Barrel 5-Pin JIS Plug to 2 x Wild RCA Plugs + Ground. RCA or XLR	Right-Angled or Straight Machined-Barrel 5-Pin JIS Plug to 2 x WEL Signature Series RCA Plugs + Ground. RCA or XLR

Meter	Feet	Retail	Retail	Retail	Retail	Retail
1.2m	*3' 11"*	N/A	N/A	779.00	2,250.00	3,750.00
1.5m	*5' 0"*	89.00	359.00	N/A	N/A	N/A
2.0m	*6' 7"*	N/A	N/A	1,019.00	2,650.00	4,470.00

Vinyl Accessories

SorboGel Q Feet System

Energy-absorbing gel feet, supports up to 8 lbs. (4 kg.)

Retail

99.00/Set of 4

Sorbothane Self-Stick Sheet

6" x 6" x 0.10" sheet can be cut to size to damp anything

Retail

25.00

HL-5 Headshell Leads



Silk-wrapped Linear-Crystal Copper Litz Conductors

Retail

25.00/Set of 4

Record Brush

12,000 highly conductive carbon fibers in two rows

Retail

25.00

Digital-Audio Cables from HDMI to Computer Audio

Many of the design and material elements that have proven so effective in AudioQuest's analog cables are every bit as meaningful for digital- and computer-audio cables, including S/PDIF, HDMI, USB, USB iPod 30-pin, FireWire, and Ethernet. Solid-core conductors, superior conductor metals and insulation materials, proper geometry and overall precision of manufacture are no more or less important at the frontier of digital-audio cables than they are for analog cables.

AudioQuest's digital cables start with Long-Grain Copper (LGC) conductors, which is a low-distortion metal with fewer grain boundaries and low oxygen content. Each successive step up in the line adds the cost-effective performance benefits of silver plating (in increasing amounts), with the top cable in each digital cable family employing AudioQuest's best conductor metal, solid 100% Perfect-Surface Silver (PSS). Geometry is optimized for each application, with insulation materials ranging from nitrogen-injected hard-cell foam to solid-polyethylene. Because all audio cables are directional, all signal conductors are controlled for directionality and connectors are labeled to ensure optimal sound quality.

All dielectric (insulation) slows down and smears the signal traveling inside the conductor, and when insulation is unbiased it slows down different frequencies at different energy levels by varying degrees. This is a real problem for time-sensitive, multi-octave audio, and a significant distortion mechanism for all audio cables, digital or analog.

On the frontier of computer audio the cabling and accessories matter every bit as much as in an all-analog audio system. The analog interconnects that connect your outboard DAC to your stereo are as important as the AC power cables that connect the computer audio components to your home's AC power. When using a USB, Ethernet or FireWire DAC, the cables that connect the computer and DAC have as profound an impact on the sound you hear as the sonic characteristics of the DAC itself. It was never really just 1's and 0's to begin with, and that's still true today. What's perhaps more surprising and less intuitive is that the peripheral cables that connect the computer to external storage and connect components over networks also make a significant qualitative difference in sound quality. Every cable in a network-audio system adds distortion to the signal. Therefore the entire computer-audio experience will be more fun and more involving if low-distortion cables are employed throughout the entire computer- and network-audio system.

Digital-Audio Cables

Digital Coax Cables

Digital Coax Forest

Digital Coax Cinnamon

Digital Coax Carbon

Metal	Solid 0.5% Silver	Solid 1.25% Silver	Solid 5% Silver
Gauge	24 AWG		21 AWG
Dielectric	Hard-Cell Foam		
Noise-Dissipation System	Metal-Layer Noise-Dissipation System		Carbon-Based 5-Layer NDS
Jacket	Black/Green Stripes PVC	Black/Red Nylon Braid	Black/Dark Gray Braid
Terminations	Cold-Welded, Gold-Plated		Cold-Welded, Hanging-Silver directly over pure Purple Copper
Shield	Foil + Tinned Braid	Foil + Silver-Plated Braid	

Meter	Feet	Retail	Retail	Retail
0.75m	*2' 6"*	**25.00**	**59.00**	**159.00**
1.0m	*3' 4"*	N/A	N/A	**169.00**
1.5m	*5' 0"*	**29.00**	**79.00**	**189.00**
2.0m	*6' 7"*	N/A	N/A	**209.00**
3.0m	*10' 0"*	**39.00**	**119.00**	**249.00**
5.0m	*16' 5"*	**59.00**	**169.00**	**339.00**
For Lengths Over 5m, Use Formula:		N/A	N/A	**40.00/m + 139.00**

Digital Coax Coffee 72v DBS

Digital Coax Diamond 72v DBS

Digital Coax Wild 72v DBS

Digital Coax WEL Signature 72v DBS

Metal	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)		
Gauge	21 AWG			
Dielectric	Hard-Cell Foam			
Noise-Dissipation System	Carbon-Based 6-Layer Noise-Dissipation System		Carbon-Based 7-Layer NDS, 2 x EMI Absorption	Carbon-Based 7-Layer NDS, 3 x EMI Absorption
Jacket	Black/Brown Braid	Black/Silver Braid	Navy Blue Braid	Black Braid
Terminations	Cold-Welded, Hanging-Silver directly over pure Red Copper		Cold-Welded, Hanging-Silver directly over machined pure Red Copper	
Shield	Foil + Silver-Plated Braid		Copper Foil + 100% PSS-Silver Spiral	

Meter	Feet	Retail	Retail	Retail	Retail
0.75m	*2' 6"*	**395.00**	**820.00**	**2,050.00**	**3,400.00**
1.0m	*3' 4"*	**429.00**	**895.00**	**2,250.00**	**3,750.00**
1.5m	*5' 0"*	**495.00**	**1,045.00**	**2,650.00**	**4,450.00**
2.0m	*6' 7"*	**569.00**	**1,195.00**	**3,050.00**	**5,150.00**
3.0m	*10' 0"*	**695.00**	**1,495.00**	**3,850.00**	**6,550.00**
5.0m	*16' 5"*	**959.00**	**2,095.00**	**5,450.00**	**9,350.00**
For Other Lengths, Use Formula:		**130.00/m + 309.00**	**300.00/m + 595.00**	**800.00/m + 1450.00**	**1400.00/m + 2350.00**

Digital-Audio Cables

AES/EBU Cables

AES/EBU Cinnamon

AES/EBU Carbon

AES/EBU Coffee

72v DBS

Metal	Solid 1.25% Silver	Solid 5% Silver	Solid 10% Silver
Gauge	24 AWG		21 AWG
Dielectric	Hard-Cell Foam		
Noise-Dissipation System	Carbon-Based 3-Layer NDS	Carbon-Based 5-Layer NDS	Carbon-Based 7-Layer NDS
Jacket	Black/Red Braid	Black/Dark Gray Braid	Black/Brown Braid
Terminations	Cold-Welded, Gold-Plated	Cold-Welded, Hanging-Silver directly over pure Purple Copper	Cold-Welded, Hanging-Silver directly over pure Red Copper
Shield	Foil + Tinned Braid		

Meter	Feet	Retail	Retail	Retail
0.75m	*2' 6"*	**79.00**	**159.00**	**395.00**
1.0m	*3' 4"*	N/A	**169.00**	**429.00**
1.5m	*5' 0"*	**99.00**	**189.00**	**495.00**
2.0m	*6' 7"*	N/A	**209.00**	**569.00**
3.0m	*10' 0"*	**139.00**	**249.00**	**695.00**
5.0m	*16' 5"*	**189.00**	**339.00**	**959.00**
For Other Lengths, Use Formula:		N/A	**40.00/m + 139.00**	**130.00/m + 309.00**

AES/EBU Diamond

72v DBS

AES/EBU Wild

72v DBS

AES/EBU WEL Signature

72v DBS

Metal	Solid 100% Perfect-Surface Silver (PSS)		
Gauge	21 AWG		
Dielectric	Hard-Cell Foam		
Noise-Dissipation System	Carbon-Based 7-Layer NDS	Carbon-Based 7-Layer NDS, 2 x EMI Absorption	Carbon-Based 7-Layer NDS, 3 x EMI Absorption
Jacket	Black/Silver Braid	Navy Blue Braid	Black Braid
Terminations	Cold-Welded, Hanging-Silver directly over pure Red Copper	Cold-Welded, Hanging-Silver directly over machined pure Red Copper	
Shield	Foil + Tinned Braid	Foil + Silver-Plated Spiral	

Meter	Feet	Retail	Retail	Retail
0.75m	*2' 6"*	**820.00**	**2,050.00**	**3,400.00**
1.0m	*3' 4"*	**895.00**	**2,250.00**	**3,750.00**
1.5m	*5' 0"*	**1,045.00**	**2,650.00**	**4,450.00**
2.0m	*6' 7"*	**1,195.00**	**3,050.00**	**5,150.00**
3.0m	*10' 0"*	**1,495.00**	**3,850.00**	**6,550.00**
5.0m	*16' 5"*	**2,095.00**	**5,450.00**	**9,350.00**
For Other Lengths, Use Formula:		**300.00/m + 595.00**	**800.00/m + 1,450.00**	**1,400.00/m + 2,350.00**

Digital-Audio Cables

Toslink Fiber-Optic Digital-Audio Cables

Optical Forest

Full-size ↔ Full-size

3.5mm Mini ↔ Full-size

Optical Cinnamon

Full-size ↔ Full-size

3.5mm Mini ↔ Full-size

Optical Vodka

Full-size ↔ Full-size

3.5mm Mini ↔ Full-size

Optical Diamond

Full-size ↔ Full-size



3.5mm Mini ↔ Full-size

Type	Toslink			
Conductors	Low-Dispersion Fiber	Lower-Dispersion Higher-Purity Fiber	217 Narrow-Aperture Synthetic Fibers	280 Narrow-Aperture Quartz (Fused-Silica) Fibers
Jacket	Black/Green Stripe PVC	Black/Red Braid	Black/Blue Braid	Black/Silver Braid

Meter	Feet	Retail	Retail	Retail	Retail
0.75m	2' 6"	29.00	65.00	169.00	489.00
1.5m	5' 0"	35.00	79.00	229.00	559.00
3.0m	10' 0"	49.00	109.00	349.00	789.00
5.0m	16' 5"	75.00	159.00	499.00	1,089.00
8.0m	26' 3"	99.00	239.00	N/A	N/A
12.0m	39' 5"	149.00	349.00	N/A	N/A
16.0m	52' 6"	199.00	459.00	N/A	N/A

USB & Toslink Adaptors

DragonTail USB 2.0 Extender

Part #: DRAGONTAIL

Retail 16.95

iPod 30-pin-to-Mini USB 2.0 Adaptor



Part #: IPODUSBMAD

Retail 18.95

USB B-to-Micro 2.0 Adaptor

Part #: USBMICROAD

Retail 9.95

USB Mini-to-Micro 2.0 Adaptor

Part #: USBMMICROAD

Retail 9.95

Toslink Mini Adaptor



For use with computers and portable devices

Part #: OPLNKMINIADAPT

Retail 7.95

Digital-Audio Cables

USB Cables

USB Pearl

A ↔ B plug

A ↔ Mini plug

A ↔ Micro

USB Forest

A ↔ B plug

A ↔ Mini plug

iPod 30-pin ↔ A

A ↔ Micro

USB 3.0 A ↔ USB 3.0 Micro

USB Cinnamon

A ↔ B plug

A ↔ Mini plug

iPod 30-pin ↔ A

Lightning ↔ A

A ↔ Micro

USB 3.0 A ↔ USB 3.0 Micro

USB Carbon

A ↔ B plug

A ↔ Mini plug

iPod 30-pin ↔ A

Lightning ↔ A

USB 3.0 A ↔ USB 3.0 Micro

USB Coffee

72v DBS

A ↔ B plug

A ↔ Mini plug

iPod 30-pin ↔ A

USB Diamond

72v DBS

A ↔ B plug

A ↔ Mini plug

iPod 30-pin ↔ A

Lightning ↔ A

USB 3.0 A ↔ USB 3.0 Micro

Metal	Solid LGC	Solid 0.5% Silver	Solid 1.25% Silver	Solid 5% Silver	Solid 10% Silver	Solid 100% PSS Silver
Dielectric	Hard-Cell Foam					
Noise-Dissipation System	No			Carbon-Based 3-Layer Noise-Dissipation System		
Jacket*	Black/White Stripe PVC	Black/Green Stripe PVC	Black/Red Braid	Black/Gray Braid	Black/Brown Braid	Black/Silver Braid
USB 2.0	Up to 5.0m					
USB 3.0	N/A	Up to 3.0m	Up to 3.0m	Up to 3.0m	N/A	Up to 3.0m
Lightning	N/A	N/A	Up to 3.0m	Up to 3.0m	N/A	Up to 3.0m

Meter	Feet	Retail	Retail	Retail	Retail	Retail	Retail
0.75m	*2' 6"*	**25.00**	**35.00**	**65.00**	**129.00**	**279.00**	**549.00**
1.5m	*5' 0"*	**29.00**	**39.00**	**79.00**	**169.00**	**349.00**	**699.00**
3.0m	*10' 0"*	**45.00**	**59.00**	**109.00**	**249.00**	**499.00**	**999.00**
5.0m	*16' 5"*	**69.00**	**89.00**	**159.00**	**359.00**	**699.00**	**1,459.00**

***Lightning and USB 3.0 are PVC.**

Slim HDMI & MHL Cable

For TVs with MHL-labeled HDMI inputs, use an MHL to Standard HDMI cable.
For HDMI inputs without the MHL label, use an MHL adaptor (see page 20) plus an HDMI cable.

Transmits 18Gbps, Up To 4K/60p And 4K/3D When Used With HDMI 2.0 Electronics

HDMI Slinky Standard HDMI to Standard HDMI	HDMI Slinky Micro to Standard HDMI	MHL Slinky MHL to Standard HDMI	MHL Carbon MHL to Standard HDMI
		Samsung to USB Micro adaptor included 	Samsung to USB Micro adaptor included

Metal	Solid Long-Grain Copper (LGC)			Solid 5% Silver
Dielectric	Geometry Stabilizing Solid-Polyethylene			
Jacket	Blue/Black Stripes PVC			Dark Gray/Black Stripes PVC
Type	High Speed with Ethernet		MHL 2.0 + Adaptor	

Meter	Feet	Retail	Retail	Retail	Retail
2.0m	*6' 7"*	**49.00**	**49.00**	**49.00**	**239.00**

Digital-Audio Cables

FireWire (IEEE-1394) Cables

FireWire Forest	FireWire Cinnamon	FireWire Carbon	FireWire Diamond 72v DBS
6-pin ↔ 6-pin plug 	6-pin ↔ 6-pin plug 	6-pin ↔ 6-pin plug 	6-pin ↔ 6-pin plug
6-pin ↔ 9-pin plug 	6-pin ↔ 9-pin plug 	6-pin ↔ 9-pin plug 	6-pin ↔ 9-pin plug
9-pin ↔ 9-pin plug 	9-pin ↔ 9-pin plug 	9-pin ↔ 9-pin plug 	9-pin ↔ 9-pin plug

Metal	Solid 0.5% Silver	Solid 1.25% Silver	Solid 5% Silver	Solid 100% PSS Silver
Dielectric	Solid High-Density Polyethylene			
Jacket	Black/Green Stripe PVC	Black/Red Braid	Black/Dark Gray Braid	Black/Silver Braid

Meter	Feet	Retail	Retail	Retail	Retail
0.75m	*2' 6"*	**35.00**	**65.00**	**129.00**	**549.00**
1.5m	*5' 0"*	**39.00**	**79.00**	**169.00**	**699.00**
3.0m	*10' 0"*	**59.00**	**109.00**	**249.00**	**999.00**
5.0m	*16' 5"*	**99.00**	**159.00**	**359.00**	**1,459.00**

HDMI Digital Audio/Video Cables with Ethernet

HDMI Cables

Transmits 18Gbps, Up To 4K/60p And 4K/3D When Used With HDMI 2.0 Electronics

HDMI Pearl

HDMI Forest

HDMI Cinnamon

HDMI Chocolate

Metal	Solid LGC	Solid 0.5% Silver	Solid 1.25% Silver	Solid 2.5% Silver
Dielectric	Hard-Cell Foam			
Noise-Dissipation System	No			
Jacket	Up to 3.0m - CMG (CL3 & FT4) Rated Black/White Stripe PVC (Shown Left)	Up to 2.0m - Braided (Shown Left)	3.0m - CMG (CL3 & FT4) Rated Black/Red PVC	Up to 3.0m - Braided (Shown Left)
	5.0m and Longer - CMG (CL3 & FT4) Rated White PVC (Shown Right)			
Type	0.6m to 10.0m - High Speed with Ethernet; 12.0m to 20.0m - Standard Speed with Ethernet			

Meter	Feet	Retail	Retail	Retail	Retail
0.6m	2' 0"	26.00	39.00	63.00	89.00
1.0m	3' 4"	29.00	49.00	69.00	99.00
1.5m	5' 0"	34.00	59.00	85.00	119.00
2.0m	6' 7"	39.00	69.00	99.00	139.00
3.0m	10' 0"	49.00	89.00	129.00	179.00
5.0m	16' 5"	99.00	139.00	199.00	289.00
8.0m	26' 3"	149.00	219.00	299.00	459.00
10.0m	32' 10"	195.00	275.00	369.00	569.00
12.0m	39' 5"	239.00	329.00	439.00	679.00
16.0m	52' 6"	319.00	439.00	579.00	899.00
20.0m	65' 7"	399.00	549.00	719.00	1,119.00

HDMI & MHL Carbon

HDMI Vodka

HDMI Coffee

72v DBS

HDMI Diamond

72v DBS

Metal	Solid 5% Silver	Solid 10% Silver	Solid 100% PSS Silver
Dielectric	Hard-Cell Foam		
Noise-Dissipation System	Carbon-Based 3-Layer Noise-Dissipation System		
Jacket	• Up to 3.0m - Braided (Shown Left)		
	• 5.0m and Longer - CMG (CL3 & FT4) Rated White PVC (Shown Right)		• 5.0m and Longer - CMG Rated Charcoal PVC
Type	• 0.6m to 10.0m - High Speed with Ethernet; 12.0m to 20.0m - Standard Speed with Ethernet • MHL Carbon to Standard HDMI is Available in 2.0m Only. Samsung to USB Micro Adaptor Included.		

Meter	Feet	Retail	Retail	Retail	Retail
0.6m	2' 0"	145.00	265.00	425.00	935.00
1.0m	3' 4"	169.00	295.00	495.00	1,095.00
1.5m	5' 0"	204.00	339.00	595.00	1,295.00
2.0m	6' 7"	239.00	379.00	695.00	1,495.00
3.0m	10' 0"	299.00	459.00	895.00	1,895.00
5.0m	16' 5"	479.00	699.00	1,195.00	2,695.00
8.0m	26' 3"	729.00	1,029.00	1,650.00	6,900.00
10.0m	32' 10"	889.00	N/A	N/A	N/A
12.0m	39' 5"	1,049.00	1,459.00	2,200.00	10,200.00
16.0m	52' 6"	1,369.00	1,889.00	2,750.00	13,500.00
20.0m	65' 7"	1,689.00	N/A	N/A	N/A

HDMI Adaptors and HD Field Termination Kit

HD Field Termination (HDFT) System

28 AWG high speed up to 6.0m and standard speed up to 12.0m
24 AWG high speed up to 10.0m and standard speed up to 20.0m

Starter kit

Includes:
- Crimping tool
- Diagram
- Termination jig
- Tester
- Instructional DVD
- 10 pairs of 24 AWG & 28 AWG connectors

Description	Retail
HD Field Termination (HDFT) Starter Kit	**495.00**
HD Field Termination – 28 AWG **628 Cable, 328 ft. (100m) Spool** 2.5% Silver Conductors Part Number 22-015-03	**8.00/ft.**
HD Field Termination – 24 AWG **624 Cable, 328 ft. (100m) Spool** 2.5% Silver Conductors Part Number 22-015-04	**12.50/ft.**

HD Field Termination Plugs

Available in 24 AWG and 28 AWG

Retail 12.00 Each

HDMI 90°/W
Wide Side [W] Right Angle Bend

Part #: 69-051-01

Retail 14.95

HDMI 90°/N
Narrow Side [N] Right Angle Bend



Part #: 69-046-01

Retail 14.95

HDMI 90° NU/R
Narrow Up [NU] Bends Right

Part #: 69-055-01

Retail 14.95

HDMI 90° NU/L
Narrow Up [NU] Bends Left

Part #: 69-056-01

Retail 14.95

HDMI A ➔D Adaptor
Standard [Type A] to Micro [Type D]

Part #: HDMIADAD

Retail 14.95

HDMI A ➔ C Adaptor
Standard [Type A] to Mini [Type C]

Part #: 69-045-01

Retail 14.95

HDMI A ➔ C & D Adaptor
Standard [Type A] to Mini [Type C] & Micro [Type D]

Part #: HDMIACDAD

Retail 14.95

HDMI Coupler
Female HDMI to Female HDMI

Part #: 69-050-01

Retail 14.95

MHL to HDMI Adaptor
Active Adaptor

Part #: MHLHDMIAD

Retail 29.00

Mini Display Port to HDMI Adaptor

Part #: MDPDONGLE

Retail 29.00

DVI-IN ➔ HDMI-OUT
F-DVI to M-HDIM

Part #: HDMI/DVIM2F

Retail 29.95

HDMI-IN ➔ DVI-OUT
F-HDMI to M-DVI

Part #: HDMI/DVIF2M

Retail 29.95

HDMI M1
Wall Plate with HDMI Jack

Part #: 69-047-01

Retail 25.00

HDMI M2
Wall Plate with 2 x HDMI Jacks

Part #: 69-048-01

Retail 40.00

Cat6 & Cat7 Ethernet/Communication Cables

The convenience of wireless transmission of multi-room audio and video comes at a steep qualitative price. Even generic Ethernet cable offers audio performance that's clearly superior to the fastest, most robust wireless networked-audio system. Moving beyond the limitations of wireless, the specific cable matters too. Bulk data transfers may not be appreciably affected by cable, but lesser Ethernet cable does affect the real-time playback quality of any Ethernet-based network-audio system.

AudioQuest offers multiple CAT600 (Cat6) and CAT700 (Cat7) bulk Ethernet cables for whole-house "electronic plumbing," as well as prepared RJ/E Ethernet cables. While Cat6/CAT600 cables support network speeds up to 1 Gigabit per second (Gbps), Cat7/CAT700 cables support network speeds up to 100 Gbps at 100 meters length. AudioQuest's CAT700 and RJ/E prepared Ethernet cables are all built on a Cat7 foundation, the highest Cat standard.

In addition to many of AudioQuest's hallmark materials and techniques—solid conductors, superior metals, conductor directionality control—the top Ethernet models also feature extreme-performance Telegärtner RJ45 connectors which employ a patented combination of geometry and circuitry to minimize impedance-mismatch distortion. The scale of this performance difference is slap-in-the-ears obvious and indicative of the difference all connectors and materials make. It's never just 1's and 0's, especially when it's *your* music!

Bulk Cat6 & Cat7 Cables, Plugs & Tools

CAT600 Pearl (DCP)
(Digital Copper Plumbing)



Metal	Solid LGC
Shield	N/A
Gauge	23 AWG
Dielectric	Solid High-Density Polyethylene
Jacket	CMG (CL3 & FT4) Rated PVC (White, Dark Gray, Blue)
Retail	**0.70/ft.**
1,000 ft. Spool	

CAT600 FMJ
(Full Metal Jacket)



Metal	Solid LGC
Shield	Overall Shield
Gauge	23 AWG
Dielectric	Solid High-Density Polyethylene
Jacket	CMG (CL3 & FT4) Rated PVC (White, Black, Light Blue)
Retail	**0.98/ft.**
1,000 ft. Spool	

CAT700 Pearl



Metal	Solid LGC
Shield	Overall Shield and Individual Pairs
Gauge	23 AWG
Dielectric	Hard-Cell Foam
Jacket	CMG (CL3 & FT4) Rated PVC (White, Medium Gray, Blue)
Retail	**1.60/ft.**
500 ft. Spool	

CAT700 Forest



Metal	Solid 0.5% Silver
Shield	Overall Shield and Individual Pairs
Gauge	23 AWG
Dielectric	Hard-Cell Foam
Jacket	CMG (CL3 & FT4) Rated PVC (White, Green, Blue)
Retail	**3.00/ft.**
500 ft. Spool	

CAT700 Carbon



Metal	Solid 5% Silver
Shield	Overall Shield and Individual Pairs
Gauge	23 AWG
Dielectric	Hard-Cell Foam
Jacket	CMG (CL3 & FT4) Rated PVC (Dark Gray)
Retail	**13.00/ft.**
500 ft. Spool	

Connectors for Cat6

Load Bar Connector Boot

Cat6 Bag Part #: CAT6PLUG

Retail
1.25 Each

Connectors for Cat6a/Cat7

Load Bar Connector Boot

Cat6a/7 Bag Part #: CAT7PLUG

Retail
2.50 Each

Telegärtner Male Connector for Cat6a/Cat7

Retail
20.00

Cat6/6a/7 Crimping Tool

Cat6 Die Included.
See Page 47.

Retail
96.00

Digital-Audio Cables

RJ/E (Ethernet) Cables

RJ/E Pearl

RJ/E Forest

RJ/E Cinnamon

Metal	Solid Long-Grain Copper (LGC)	Solid 0.5% Silver	Solid 1.25% Silver
Dielectric	Geometry Stabilizing Solid High-Density Polyethylene		
Noise-Dissipation System	No		
Jacket	CMG (CL3 & FT4) Rated Black/Gray Stripe PVC	CMG (CL3 & FT4) Rated Black/Green Stripe PVC	Up to 3.0m - Black/Red Braid 5.0m and Longer – CMG (CL3 & FT4) Rated Black/Red PVC
Terminations	Gold-Plated Nickel Connectors with 100% Shield Coverage		

Meter	Feet	Retail	Retail	Retail
0.75m	*2' 6"*	**25.00**	**39.00**	**75.00**
1.5m	*5' 0"*	**29.00**	**49.00**	**89.00**
3.0m	*10' 0"*	**45.00**	**69.00**	**119.00**
5.0m	*16' 5"*	**65.00**	**99.00**	**159.00**
8.0m	*26' 3"*	**95.00**	**139.00**	**219.00**
12.0m	*39' 5"*	**139.00**	**199.00**	**299.00**

RJ/E Vodka



RJ/E Diamond

72v DBS

Metal	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)
Dielectric	Geometry Stabilizing Solid High-Density Polyethylene	
Noise-Dissipation System	Carbon-Based 3-Layer Noise-Dissipation System	
Jacket	Up to 3.0m – Black/Blue Braid 5.0m and Longer – CMG (CL3 & FT4) Rated Black/Blue PVC	Black/Silver Braid
Terminations	Precision-Made Low-Loss Ultra-Wide Bandwidth Connectors with 100% Shield Coverage and Strain Relief	

Meter	Feet	Retail	Retail
0.75m	*2' 6"*	**249.00**	**695.00**
1.5m	*5' 0"*	**339.00**	**1,195.00**
3.0m	*10' 0"*	**529.00**	**2,195.00**
5.0m	*16' 5"*	**779.00**	**3,495.00**
8.0m	*26' 3"*	**1,159.00**	**5,495.00**
12.0m	*39' 5"*	**1,659.00**	**7,995.00**

How to Order Prepared Speaker Cables

To order: first please specify type of connector (banana or spade), then the finish of connector (gold or silver).

Pair prices shown. Also available in singles (i.e., for center channel, subwoofer or mono) at half pair price.

When ordering any factory terminated speaker cable, please include these required elements:

Qty.	Pair or Single	Length	Model	FR, SBW, DBW or SBA	AMPLIFIER Termination	SPEAKER Termination	Gold or Silver
1	Pair	10 ft.	Rocket 88	FR	500 Series Multi-Spade to Banana		Gold
1	Single	6 ft.	Castle Rock	SBA	1000 Series Multi-Spade to Banana		Silver

When ordering 3 (or 5 or 7) individual cables, please order: 1 pair + 1 single (or 2 or 3 pairs + 1 single, as appropriate)

Terminations

Full-Range (FR)
(Non-BiWire)
All models

Single-BiWire (SBW)
Rocket, Rock & Tree models only
Same cost as Full-Range cable

Double-BiWire (DBW)
All models
Same cost as the 2 pairs of cables separately

Single-BiAmp (SBA)
Rocket, Rock & Tree models only

REL Acoustic™ Stereo High-Level Subwoofer Cable
For use with REL subwoofers, speakon to 3x spades or 3x bananas
Same cost as single cable (1/2 of pair price)

(Refer to your amplifier's owner's manual regarding cautions and special instructions)

Termination Upcharge for SBA	Retail
SureGrip Banana for Rocket 33	39.00
SureGrip Spade for Rocket 33	59.00
500 Series Multi-Spade or Banana for Rocket 44 and Rocket 88	69.00
1000 Series Multi-Spade or Banana for Rocks and Trees	199.00

500 and 1000 Series Banana & Multi-Spade Connectors

Tool included

	500 Series Banana Silver or Gold	500 Series Multi-Spade Silver or Gold	1000 Series Banana Silver	1000 Series Multi-Spade Silver
Installation	Allen Wrench and Phillips Screwdriver Provided		Allen Wrench and Phillips Screwdriver Provided	
Metal	Hanging-Silver directly over pure **Purple** Copper or Hanging-Gold directly over pure **Purple** Copper		Hanging-Silver directly over pure **Red** Copper	
Wire Size	Up to 9 AWG		Up to 9 AWG	
Retail	**69.00/Set of 4**		**199.00/Set of 4**	
	99.00/Set of 6		**299.00/Set of 6**	

SureGrip® BFA/Banana & Spade Connectors: Direct-Silver Plated (S) & Direct-Gold Plated (G)

Tool included

	SureGrip-BFA/Banana Direct-Silver or Gold	SureGrip-Spade Direct-Silver or Gold	SureGrip-BFA/Banana or Spade – Tray of 40
			Specify All Black or 20 Red / 20 Black
	Red, Black, And Green Labels Included 	Fits 1/4" – 5/16" Binding Post Red, Black, And Green Labels Included	Red, Black, And Green Labels Included
Installation	Requires Allen Wrench (1 Wrench Supplied with Set of 4)		Requires Allen Wrench (2 Wrenches Supplied with Tray of 40)
Wire Size	Up to 9 AWG		Up to 9 AWG
Master Carton	10 Sets of 4	10 Sets of 4	**SureGrip-BFA/Banana** / **SureGrip Spade**
Retail	**39.00/Set of 4**	**59.00/Set of 4**	**39.00/Set of 4** / **59.00/Set of 4**

Spade, Pin and Banana Connectors

	1410/S 1410/G	1010/S 1010/G	1414/S 1414/G	1014/S 1014/G	1056/S 1056/G	P10M/S P10M/G	BP10/S BP10/G	Crimp-BFA/S Crimp-BFA/G	1002/S 1002/G
									
Plating	Direct-Silver Plated & Direct-Gold Plated					Hanging-Silver & Hanging Gold	Direct-Silver Plated & Direct-Gold Plated		
Wire Size	Up to 14 AWG	Up to 10 AWG	Up to 14 AWG	Up to 10 AWG				Up to 9 AWG	N/A
Fits	3/16" Binding Post		1/4" Binding Post		5/16" Binding Post	1/4" & 5/16" Binding Post	Bendable Pin Fits Almost Everything	Standard Banana Jack	
Retail	**6.00/Set of 4**	**6.00/Set of 4**	**6.00/Set of 4**	**6.00/Set of 4**	**12.50/Set of 4**	**15.00/Set of 4**	**6.00/Set of 4**	**18.00/Set of 4**	**25.00/Set of 4**

Prepared Speaker Cables: Star-Quad Series

The Inside View	Type 4	GO-4	KE-4
		72v DBS	72v DBS

Metal	Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper+ (PSC+)	Solid Perfect-Surface Silver (PSS)
Gauge	15 AWG		
Geometry	Star-Quad		
Dielectric	Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation System	Cross-Talk-Dissipation System		
Jacket	Black/Blue Braid	Black/Brown Braid	Black/Gray Braid
Termination Options	Full-Range, Double-BiWire* and REL		
Standard Plug	Choice of SureGrip Spade or BFA/Banana (Gold or Silver)	Choice of 500 Series Multi-Spade or Banana (Gold or Silver)	Choice of 1000 Series Multi-Spade or Banana (Silver Only)

*Upcharge applies. Please see page 23.

Length	Retail	Retail	Retail
3 ft. pair	179.00	439.00	3,000.00
4 ft. pair	189.00	469.00	3,800.00
5 ft. pair	199.00	499.00	4,600.00
6 ft. pair	209.00	529.00	5,400.00
7 ft. pair	219.00	559.00	6,200.00
8 ft. pair	229.00	589.00	7,000.00
9 ft. pair	239.00	619.00	7,800.00
10 ft. pair	249.00	649.00	8,600.00
11 ft. pair	259.00	679.00	9,400.00
12 ft. pair	269.00	709.00	10,200.00
13 ft. pair	279.00	739.00	11,000.00
14 ft. pair	289.00	769.00	11,800.00
15 ft. pair	299.00	799.00	12,600.00
16 ft. pair	309.00	829.00	13,400.00
17 ft. pair	319.00	859.00	14,200.00
18 ft. pair	329.00	889.00	15,000.00
19 ft. pair	339.00	919.00	15,800.00
20 ft. pair	349.00	949.00	16,600.00
21 ft. pair	359.00	979.00	17,400.00
22 ft. pair	369.00	1,009.00	18,200.00
23 ft. pair	379.00	1,039.00	19,000.00
24 ft. pair	389.00	1,069.00	19,800.00
25 ft. pair	399.00	1,099.00	20,600.00
For Lengths Over 25 ft., Use Formula:	**10.00/ft. + 149.00**	**30.00/ft. + 349.00**	**800.00/ft. + 600.00**

Prepared Speaker Cables: Rocket Series

The Inside View

Rocket 33

Rocket 44

Rocket 88 — 72v DBS



Metal	Solid PSC / LGC	Solid PSC+ / PSC	Solid Perfect-Surface Copper+ (PSC+)
Gauge	14 AWG	13 AWG	
Geometry	Double Star-Quad		
Dielectric	Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation System	Cross-Talk-Dissipation System		
Jacket	Black/Red Braid	Black/Silver Braid	Black/Green Braid
Termination Options	Full-Range, Single-BiWire, Double-BiWire,* Single-BiAmp* and REL		
Standard Plug	Choice of SureGrip Spade or BFA/Banana (Gold or Silver)	Choice of 500 Series Multi-Spade or Banana (Gold or Silver)	

*Upcharge applies. Please see page 23.

Length	Retail	Retail	Retail
3 ft. pair	210.00	289.00	549.00
4 ft. pair	227.00	319.00	599.00
5 ft. pair	244.00	349.00	649.00
6 ft. pair	261.00	379.00	699.00
7 ft. pair	278.00	409.00	749.00
8 ft. pair	295.00	439.00	799.00
9 ft. pair	312.00	469.00	849.00
10 ft. pair	329.00	499.00	899.00
11 ft. pair	346.00	529.00	949.00
12 ft. pair	363.00	559.00	999.00
13 ft. pair	380.00	589.00	1,049.00
14 ft. pair	397.00	619.00	1,099.00
15 ft. pair	414.00	649.00	1,149.00
16 ft. pair	431.00	679.00	1,199.00
17 ft. pair	448.00	709.00	1,249.00
18 ft. pair	465.00	739.00	1,299.00
19 ft. pair	482.00	769.00	1,349.00
20 ft. pair	499.00	799.00	1,399.00
21 ft. pair	516.00	829.00	1,449.00
22 ft. pair	533.00	859.00	1,499.00
23 ft. pair	550.00	889.00	1,549.00
24 ft. pair	567.00	919.00	1,599.00
25 ft. pair	584.00	949.00	1,649.00
For Lengths Over 25 ft., Use Formula:	**17.00/ft. + 159.00**	**30.00/ft. + 199.00**	**50.00/ft. + 399.00**

Prepared Speaker Cables: Rock Series

The Inside View	Castle Rock 72v DBS	Comet 72v DBS	Meteor 72v DBS	K2 72v DBS

Metal	Solid Perfect-Surface Copper+	Solid 2 x PSS / 6 x PSC+	Solid 4 x PSS / 4 x PSC+	Solid Perfect-Surface Silver
Gauge	12 AWG			
Geometry	Double Star-Quad			
Dielectric	Foamed-Polyethylene (For All Positive Conductors)			
Noise-Dissipation System	Carbon-Based Noise-Dissipation and Cross-Talk-Dissipation Systems			
Jacket	Black/Brown Braid	Black/Red Braid	Black/Dark Gray Braid	Black/Silver Braid
Termination Options	Full-Range, Single-BiWire, Double-BiWire,* Single-BiAmp* and REL			
Standard Plug	Choice of 1000 Series Multi-Spade or Banana (Silver Only)			

*Upcharge applies. Please see page 23.

Length	Retail	Retail	Retail	Retail
3 ft. pair	1,000.00	1,600.00	2,500.00	6,100.00
4 ft. pair	1,100.00	1,900.00	3,100.00	7,900.00
5 ft. pair	1,200.00	2,200.00	3,700.00	9,700.00
6 ft. pair	1,300.00	2,500.00	4,300.00	11,500.00
7 ft. pair	1,400.00	2,800.00	4,900.00	13,300.00
8 ft. pair	1,500.00	3,100.00	5,500.00	15,100.00
9 ft. pair	1,600.00	3,400.00	6,100.00	16,900.00
10 ft. pair	1,700.00	3,700.00	6,700.00	18,700.00
11 ft. pair	1,800.00	4,000.00	7,300.00	20,500.00
12 ft. pair	1,900.00	4,300.00	7,900.00	22,300.00
13 ft. pair	2,000.00	4,600.00	8,500.00	24,100.00
14 ft. pair	2,100.00	4,900.00	9,100.00	25,900.00
15 ft. pair	2,200.00	5,200.00	9,700.00	27,700.00
16 ft. pair	2,300.00	5,500.00	10,300.00	29,500.00
17 ft. pair	2,400.00	5,800.00	10,900.00	31,300.00
18 ft. pair	2,500.00	6,100.00	11,500.00	33,100.00
19 ft. pair	2,600.00	6,400.00	12,100.00	34,900.00
20 ft. pair	2,700.00	6,700.00	12,700.00	36,700.00
21 ft. pair	2,800.00	7,000.00	13,300.00	38,500.00
22 ft. pair	2,900.00	7,300.00	13,900.00	40,300.00
23 ft. pair	3,000.00	7,600.00	14,500.00	42,100.00
24 ft. pair	3,100.00	7,900.00	15,100.00	43,900.00
25 ft. pair	3,200.00	8,200.00	15,700.00	45,700.00
For Lengths Over 25 ft., Use Formula:	100.00/ft. + 700.00	300.00/ft. + 700.00	600.00/ft. + 700.00	1,800.00/ft. + 700.00

Prepared Speaker Cables: Tree Series

The Inside View	Aspen	Oak	Redwood
	72v DBS	72v DBS	72v DBS
Metal	Solid PSC+ / PSC	Solid PSC+	Solid 6 x PSS / 10 x PSC+
Gauge	9 AWG		
Geometry	Double Counter-Spiral		
Dielectric	Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation System	Carbon-Based Multi-Layer Noise-Dissipation and Cross-Talk-Dissipation Systems		
Jacket	Black/Green Braid	Black/Brown Braid	Black/Dark Red Braid
Termination Options	Full-Range, Single-BiWire, Double-BiWire,* Single-BiAmp* and REL		
Standard Plug	Choice of 1000 Series Multi-Spade or Banana (Silver Only)		

*Upcharge applies. Please see page 23.

Length	Retail	Retail	Retail
3 ft. pair	1,280.00	1,640.00	3,800.00
4 ft. pair	1,440.00	1,920.00	4,800.00
5 ft. pair	1,600.00	2,200.00	5,800.00
6 ft. pair	1,760.00	2,480.00	6,800.00
7 ft. pair	1,920.00	2,760.00	7,800.00
8 ft. pair	2,080.00	3,040.00	8,800.00
9 ft. pair	2,240.00	3,320.00	9,800.00
10 ft. pair	2,400.00	3,600.00	10,800.00
11 ft. pair	2,560.00	3,880.00	11,800.00
12 ft. pair	2,720.00	4,160.00	12,800.00
13 ft. pair	2,880.00	4,440.00	13,800.00
14 ft. pair	3,040.00	4,720.00	14,800.00
15 ft. pair	3,200.00	5,000.00	15,800.00
16 ft. pair	3,360.00	5,280.00	16,800.00
17 ft. pair	3,520.00	5,560.00	17,800.00
18 ft. pair	3,680.00	5,840.00	18,800.00
19 ft. pair	3,840.00	6,120.00	19,800.00
20 ft. pair	4,000.00	6,400.00	20,800.00
For Lengths Over 20 ft., Use Formula:	160.00/ft. + 800.00	280.00/ft. + 800.00	1,000.00/ft. + 800.00

Prepared Speaker Cables: Tree Series

The Inside View

Wild Wood — 72v DBS

WEL Signature — 72v DBS

Metal	Solid 12 x PSS / 4 x PSC+	Solid PSS Silver
Gauge	9 AWG	
Geometry	Double Counter-Spiral	
Dielectric	Foamed-Polyethylene (For All Positive Conductors)	
Noise-Dissipation System	Carbon-Based Multi-Layer Noise-Dissipation and Cross-Talk-Dissipation Systems	
Jacket	Navy Blue Braid	Black Braid
Termination Options	Full-Range, Single-BiWire, Double-BiWire,* Single-BiAmp* and REL	
Standard Plug	Choice of 1000 Series Multi-Spade or Banana (Silver Only)	

*Upcharge applies. Please see page 23.

Length	Retail	Retail
3 ft. pair	7,400.00	12,200.00
4 ft. pair	9,600.00	16,000.00
5 ft. pair	11,800.00	19,800.00
6 ft. pair	14,000.00	23,600.00
7 ft. pair	16,200.00	27,400.00
8 ft. pair	18,400.00	31,200.00
9 ft. pair	20,600.00	35,000.00
10 ft. pair	22,800.00	38,800.00
11 ft. pair	25,000.00	42,600.00
12 ft. pair	27,200.00	46,400.00
13 ft. pair	29,400.00	50,200.00
14 ft. pair	31,600.00	54,000.00
15 ft. pair	33,800.00	57,800.00
16 ft. pair	36,000.00	61,600.00
17 ft. pair	38,200.00	65,400.00
18 ft. pair	40,400.00	69,200.00
19 ft. pair	42,600.00	73,000.00
20 ft. pair	44,800.00	76,800.00
For Lengths Over 20 ft., Use Formula:	**2,200.00/ft. + 800.00**	**3,800.00/ft. + 800.00**

Dielectric-Bias System (DBS, US Patent numbers 7,126,055 & 7,872,195 B1)

High-frequency engineers often believe that "low-frequency" audio is just so simple … but in fact, it is very difficult to handle a multi-octave audio signal without damaging the time relationships that define individual sounds.

Even when multi-channel audio is packaged as a single-channel digital stream, as in HDMI, USB, FireWire, Coax, AES/EBU, Toslink, etc., time-based data corruption, known as "jitter," causes unfixable damage to the information package.

In addition to insulating, "insulation" is also a "dielectric." This means that it interacts with any nearby electrical signal, slowing down the signal. Absolute speed is not itself relevant, but when insulation is un-biased, it slows down different frequencies and different amplitudes by varying degrees, a significant distortion mechanism.

AudioQuest's DBS creates a strong and stable electrostatic field, which saturates and polarizes (organizes) the molecules of the insulation. This minimizes both energy storage in the dielectric, and the multiple nonlinear time-delays. Sound appears from a surprisingly blacker background with unexpected detail and dynamic contrast. Because DBS creates a field, but does no "work," the DBS pack's batteries will last for years. A test button and LED allow for the occasional battery check.

BiWire Jumpers

Important: please specify gold or silver connectors on jumpers.

BiWire Jumper Copper (PSC+)



BiWire Jumper Silver (PSS)



PSC+ with 500 Series Multi-Spade or Banana

Banana>Banana	Spade>Banana	Banana>Spade	Spade>Spade
Retail	Retail	Retail	Retail
189.00/Set of 4	189.00/Set of 4	189.00/Set of 4	189.00/Set of 4

PSS with 500 Series Multi-Spade or Banana

Banana>Banana	Spade>Banana	Banana>Spade	Spade>Spade
Retail	Retail	Retail	Retail
429.00/Set of 4	429.00/Set of 4	429.00/Set of 4	429.00/Set of 4

Unterminated Speaker Cables: Packaged and on Spools



Metal	Semi-Solid Concentric Packed Long-Grain Copper			Solid Long-Grain Copper	SolidPlus Concentric Long-Grain Copper
Gauge	16 AWG	14 AWG	15 AWG		
Jacket	Dark Gray PVC & Off-White PVC				Black PVC or White PVC

	30 ft. (9.0m) Uncut in a box				
Retail	39.00	59.00	N/A	N/A	N/A
	50 ft. (15.0m) Uncut in a box				
Retail	65.00	95.00	N/A	N/A	N/A
	100 ft. (30.0m) Uncut in a box				
Retail	125.00	185.00	N/A	N/A	N/A
	328 ft. (100.0m) Bulk Spools				
Retail	1.25/ft.	1.85/ft.	1.85/ft.	2.49/ft.	2.49/ft.

Unterminated Speaker Cables on Spools

CL3/FT4 Rated & Braided Speaker Cables On Spools









Metal	Solid Long-Grain Copper (LGC)		Solid PSC+	Solid PSS
Gauge	16 AWG	15 AWG		
Geometry	Star-Quad			
Dielectric	Foamed-Polyethylene (For All Positive Conductors)			
Noise-Dissipation System	No	Cross-Talk-Dissipation System		
Jacket	PVC: Dark Gray or Off-White	PVC: Black/Blue Stripes or Off-White; Braid: Black/Blue	PVC: Black/Brown Stripes; Braid: Black/Brown	Braid: Black/Gray (Not CL3/FT4 In-Wall Rated)
Single-BiWire Capable	No			
Foot Markers	Sequentially Numbered 1-164 or 1-328 ft. (showing how many feet remaining)			
Retail	**2.95/ft.**	**5.00/ft.**	**15.00/ft.**	**400.00/ft.**
Spool Size	328 ft. (100m)	328 ft. (100m)	164 ft. (50m)	N/A

CL3/FT4 Rated & Braided Rocket Series Speaker Cables On Spools





Metal	Solid PSC / LGC	Solid PSC+ / PSC	Solid Perfect-Surface Copper+ (PSC+)
Gauge	14 AWG	13 AWG	
Geometry	Double Star-Quad		
Dielectric	Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation System	Cross-Talk-Dissipation System		
Jacket	PVC: Black/Red Stripes Braid: Black/Red	PVC: Matte Black/Shiny Black Stripes Braid: Black/Silver	PVC: Black/Green Stripes Braid: Black/Green
Single-BiWire Capable	Yes		
Foot Markers	Sequentially Numbered 1-164 or 1-328 ft. (showing how many feet remaining)		
Retail	**8.50/ft.**	**15.00/ft.**	**25.00/ft.**
Spool Size	164 ft. (50m) or 328 ft. (100m)	164 ft. (50m)	164 ft. (50m)

Termination "Pants" for Speaker Cables

	Model Specific		Universal
Model	**Full-Range**	**Single-BiWire**	**Full-Range**
	Part Number:	**Part Number:**	**Part Number:**
Type 2	68-095-01	N/A	PANTUNIV**S**
Type 4	68-096-01	N/A	PANTUNIV**L**
GO-4	N/A	N/A	PANTUNIV**L**
Q²	N/A	N/A	PANTUNIV**L**
Rocket 33	68-100-01	68-100-21	N/A
Rocket 44	68-101-01	68-101-21	N/A
Rocket 88	68-102-01	68-102-21	N/A
Retail	**12.00/Set of 4**	**12.00/Set of 4**	**12.00/Set of 4**



Noise-Dissipation System (NDS)



The challenge of shielding an audio or video signal from through-the-air interference, usually called RFI (Radio-Frequency Interference), is an old game. It's also a game which is usually easily won. Despite promotional material trying to induce fear and the seeking of comfort with one brand or another, shielding just isn't that difficult. However, almost all shielded cables absorb and then drain noise/ RF energy to "component ground," modulating and distorting the critical "reference" ground plane.

It is ironic that in doing its job of protecting the signal conductors, the shield actually picks up more RFI than the signal conductors, because it is much bigger. However, the cure doesn't have to be worse than the disease ... by "shielding the shield," it is possible to have 100% shield coverage, and to dump almost no energy on the reference ground plane. AudioQuest's Noise-Dissipation System (NDS) uses alternating layers of metal- and carbon-loaded synthetics to "shield the shield," absorbing and reflecting most of this energy before it reaches the layer attached to ground. The result is that sound comes from a quiet black background. Music and dialog are easier to understand and more compelling.

AC Power

While speaker cables need to maintain perfect integrity across the entire audio band, power cables only have to be "perfect" in a much narrower band. The amount of energy transferred and the size of the associated magnetic fields put AC power cables and speaker cables in a class of their own. It's not surprising that AC power and speaker cables are subject to many of the same distortion mechanisms, and benefit from many of the same damage-minimizing design elements and techniques.

AudioQuest's entry-level power cords utilize semi-solid conductors that maintain constant position over the length of the cable, minimizing magnetic interaction among the semi-solid strands. Most of AudioQuest's power cords, however, use solid conductors, which completely eliminate this distortion. Superior metals minimize distortion in all applications, so AQ's power cords use the same, low-distortion, high-performance metals found in AQ's signal-carrying audio cables. AudioQuest's Noise-Dissipation System (NDS) is employed in NRG-4 and up. Typical AC power cable shield systems absorb and then drain noise and RF energy to component ground, which modulates and distorts the critical "reference" ground plane. NDS's alternating layers of metal- and carbon-loaded synthetics "shield the shield," absorbing and reflecting most of this energy before it reaches the layer attached to component ground.

The wall plugs on AC power cables are a crucial material element as well … While many of AQ's wall plugs are Gold-Plated, AQ's top-tier AC power cables use Hanging-Silver, a process in which the pure-copper plugs are submerged ("hung") into a vat of extreme-purity silver (rather than the conventional "barrel" plating in a drum tumbler). The result is a very thick, Direct-Silver Plate with no performance-degrading intermediary materials (such as nickel). NRG-500 Wall Plugs use Hanging Gold directly over pure Purple Copper, while NRG-1000 Wall Plugs use Hanging-Silver directly over pure Red Copper.

Low-distortion AC power cables improve the performance of all AV system components. They also make just as much difference on both the input and output of power-line conditioners.

AC Power Plugs

	NRG-500 Wall Plug	NRG-500 IEC C–13 (15 AMP)	NRG-500 IEC C–19 (20 AMP)	NRG-1000 Wall Plug	NRG-1000 IEC C–13 (15 AMP)	NRG-1000 IEC C–19 (20 AMP)
Metal	Hanging-Gold directly over pure **Purple** Copper			Hanging-Silver directly over pure **Red** Copper		
Case	ABS Housing (Non-Metallic)			ABS Housing (Non-Metallic)		
Retail	**99.00 Each**	**99.00 Each**	**99.00 Each**	**199.00 Each**	**199.00 Each**	**199.00 Each**

Female To Male IEC Adaptors

Premium single-piece metal conductors from input to all outputs preserve advantages of superior AudioQuest NRG Series AC cables.

IEC-90/1



Retail	16.95

IEC-90/2



Retail	16.95

IEC>3US Power Strip

Retail	35.00

AC Power Cables: X Series

NRG-X2

Metal	Semi-Solid Concentric Packed LGC
Gauge	2 x 15 AWG
Geometry	Helical Array
Jacket	Black/Gray Braid
Terminations	2-Pole Wall Plug to IEC C–7 or C–17

Meter	Feet	Retail
0.9m	*3 ft.*	54.00
1.8m	*6 ft.*	69.00
3.0m	*10 ft.*	89.00
Per Foot (Unterminated)		5.00/ft.
164 ft. (50m) Spool		820.00

NRG-X3

Metal	Semi-Solid Concentric Packed LGC
Gauge	3 x 15 AWG
Geometry	Helical Array
Jacket	Black/Gray Braid
Terminations	3-Pole Wall Plug to IEC C–13 or C–5

Meter	Feet	Retail
0.9m	*3 ft.*	75.00
1.8m	*6 ft.*	99.00
3.0m	*10 ft.*	131.00
Per Foot (Unterminated)		8.00/ft.
164 ft. (50m) Spool		1,312.00

AC Power Cables: 2-Pole Wall Plug to IEC C–7 Connector

NRG-1

Metal	Solid Long-Grain Copper (LGC)
Gauge	2 x 16 AWG
Geometry	Star-Quad HyperLitz
Jacket	Black/Blue/Gray Braid
Terminations	Cold-Welded Connectors

Meter	Feet	Retail
0.9m	*3 ft.*	74.00
1.8m	*6 ft.*	89.00
3.0m	*10 ft.*	109.00
4.6m	*15 ft.*	134.00
6.1m	*20 ft.*	159.00

NRG-1.5

Metal	Solid Perfect-Surface Copper+ (PSC+)
Gauge	2 x 16 AWG
Geometry	Star-Quad HyperLitz
Jacket	Black/Gray/Silver/Red Braid
Terminations	Cold-Welded Connectors

Meter	Feet	Retail
0.9m	*3 ft.*	124.00
1.8m	*6 ft.*	169.00
3.0m	*10 ft.*	229.00
4.6m	*15 ft.*	304.00
6.1m	*20 ft.*	379.00

AC Power Cables: 3-Pole Wall Plug to IEC C–13 15 AMP Connector

	NRG-2	NRG-4	NRG-10 72v DBS
		Upcharge for NRG-500 plug **125.00 (single Retail)**	Upcharge for NRG-500 plug **125.00 (single Retail)**
Metal	Solid Long-Grain Copper (LGC)	Solid PSC+ / PSC	Solid Perfect-Surface Copper+ (PSC+)
Gauge	3 x 13 AWG	3 x 13 AWG	3 x 13 AWG
Geometry	Counter-Spiral HyperLitz	Counter-Spiral HyperLitz	Counter-Spiral HyperLitz
Noise-Dissipation System	No	Multi-Position Carbon-Based Noise-Dissipation and Cross-Talk-Dissipation Systems	Multi-Position Carbon-Based Noise-Dissipation and Cross-Talk-Dissipation Systems
Jacket	Black/Gray/Green Braid	Black/Gray/Blue Braid	Black/Brown Braid
Terminations	Cold-Welded Connectors	Cold-Welded Connectors	Cold-Welded Connectors
Meter / **Feet**	**Retail**	**Retail**	**Retail**
0.9m *3 ft.*	**124.00**	**254.00**	**539.00**
1.8m *6 ft.*	**169.00**	**359.00**	**779.00**
3.0m *10 ft.*	**229.00**	**499.00**	**1,099.00**
4.6m *15 ft.*	**304.00**	**674.00**	**1,499.00**
6.1m *20 ft.*	**379.00**	**849.00**	**1,899.00**
Per Foot (Unterminated)	**15.00/ft.**	**35.00/ft.**	**80.00/ft.**
164 ft. (50m) Spool	**2,460.00**	**5,740.00**	**13,120.00**

	NRG-1000 72v DBS	NRG Wild 72v DBS	NRG WEL Signature 72v DBS
	Available with 20 AMP IEC at same price	Available with 20 AMP IEC at same price	Available with 20 AMP IEC at same price
Metal	Solid Perfect-Surface Copper+ (PSC+)	Solid PSS / PSC+	Solid Perfect-Surface Silver (PSS)
Gauge	3 x 13 AWG	3 x 13 AWG	3 x 13 AWG
Geometry	Counter-Spiral HyperLitz	Counter-Spiral HyperLitz	Counter-Spiral HyperLitz
Noise-Dissipation System	Multi-Position Carbon-Based Noise-Dissipation and Cross-Talk-Dissipation Systems	Multi-Position Carbon-Based Noise-Dissipation and Cross-Talk-Dissipation Systems	Multi-Position Carbon-Based Noise-Dissipation and Cross-Talk-Dissipation Systems
Jacket	Black/Brown Braid	Navy Blue Braid	Black Braid
Terminations	Cold-Welded, Hanging-Silver directly over pure Red Copper. 20 Amp IEC Also Available.	Cold-Welded, Hanging-Silver directly over pure Red Copper. 20 Amp IEC Also Available.	Cold-Welded, Hanging-Silver directly over pure Red Copper. 20 Amp IEC Also Available.
Body	ABS Housing (Non-Metallic)	ABS Housing (Non-Metallic)	ABS Housing (Non-Metallic)
Meter / **Feet**	**Retail**	**Retail**	**Retail**
0.9m *3 ft.*	**1,039.00**	**2,225.00**	**4,050.00**
1.8m *6 ft.*	**1,279.00**	**3,500.00**	**6,900.00**
3.0m *10 ft.*	**1,599.00**	**5,200.00**	**10,700.00**
For Lengths Over 3.0m, Use Formula:	**80.00/ft. + 799.00**	**425.00/ft. + 950.00**	**950.00/ft. + 1,200.00**

Accessories

SorboGel Q Feet System

Set of 4 energy-absorbing feet with "tray" which improves performance and protects furniture. Each foot supports up to 4 kg. (8 lbs.).

Retail	99.00/Set of 4

RCA Noise-Stopper Caps

Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.



Retail	39.00/Set of 10

XLR Output Noise-Stopper Caps

Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.



Retail	29.00/Set of 2

XLR Input Noise-Stopper Caps

Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

Retail	29.00/Set of 2

Binding-Post Wrench

Real tool-quality double-ended nut driver with metal inserts.

Fits 7/16" & 1/2" binding posts.

Retail	10.00

PSC BiWire Jumpers

Solid PSC Copper Jumpers replace stamped jumpers supplied with BiWirable speakers. Four x 4" jumpers.

Choose:
- BiWire Jumpers-G (Direct-Gold Plated)

or
- BiWire Jumpers-S (Direct-Silver Plated)

Retail	25.00/Set of 4

PreAmp Jumpers

Solid PSC+ conductors in Polyethylene Air-Tubes.
Replaces factory fitted "U" jumpers on integrated amps & receivers.

Retail	29.00/Pair

Voltage Upgrade Kit for DBS

FOR USE WITH EXISTING DBS CABLES ONLY.

Kit includes:
2 x 72V DBS packs (inc. batteries)
4 x Velcro bands

Retail	150.00/Kit

CleanScreen

CleanScreen Kit

Microfiber cloth (x 2)

10 ml spray

150 ml bottle

Retractable brush

Part Number: AQCSKIT	
Retail	**20.00**

10 ml. Pen Display (Ships with 24 Pens)

Microfiber cleaning cloth included

Part Number: 69-090-01	
Retail	**4.00/Per Pen**

HDTV Display - 200 ml./6.75 oz. (Ships with 20 Bottles)

Microfiber cleaning cloth included

Part Number: 69-071-01	
Retail	**20.00/Per Bottle**

Laptop Display - 30 ml./1 oz. (Ships with 20 Bottles)

Microfiber cleaning cloth included

Part Number: 69-069-11	
Retail	**8.00/Per Bottle**

Analog-Video Cables

S-Video / Gaming Cables

S-A



S-G

GQ-300W (Component Video/Stereo Audio Cable for Nintendo Wii™)

	S-A	S-G	GQ-300W (Component Video/Stereo Audio Cable for Nintendo Wii™)
Metal	Solid 1.25% Silver		Solid Long-Grain Copper (LGC)
Geometry	2 x 75Ω Coax		3 x 75Ω Coax For Video Plus Left and Right Audio
Dielectric	Hard-Cell Foam		Hard-Cell Foam
Jacket	Black PVC	Black/Blue/Red/Green Braid	White PVC
Shield	Foil + Braid		Foil + Braid

Meter	Feet	S-A Retail	S-G Retail	GQ-300W Meter	GQ-300W Feet	GQ-300W Retail
1.0m	3' 4"	25.00	35.00			
1.5m	5' 0"	30.00	42.50			
2.0m	6' 7"	35.00	50.00			
				3.0m	10' 0"	40.00

Component Video (Y-Pb-Pr) Cables

YIQ-A



YIQ-G



YIQ-X

YIQ-1

YIQ-3



YIQ-5



	YIQ-A	YIQ-G	YIQ-X	YIQ-1	YIQ-3	YIQ-5
Metal	Solid 1.25% Silver			Solid 2.5% Silver	Solid 6.1% Silver	Solid 100% PSS
Gauge	26 AWG		24 AWG			
Geometry	3 x 75Ω Coax					
Dielectric	Hard-Cell Foam					
Noise-Dissipation System	No				Carbon-Based 2-Layer Noise-Dissipation System	
Jacket	Black PVC	Black/Blue/Red/Green Braid	Black/Red/Blue/Green Braid	Blue/Black/Red/Green Braid	Black/Red/Green/Blue Braid	Black/Silver Braid
Terminations	RCA			RCA or BNC		
Shield	Foil + Tinned Braid		Foil + Silver-Plated Braid			

Meter	Feet	YIQ-A Retail	YIQ-G Retail	YIQ-X Retail	YIQ-1 Retail	YIQ-3 Retail	YIQ-5 Retail
1.0m	3' 4"	30.00	50.00	80.00	125.00	250.00	650.00
1.5m	5' 0"	37.50	62.50	97.50	150.00	300.00	800.00
2.0m	6' 7"	45.00	75.00	115.00	175.00	350.00	950.00
3.0m	10' 0"	60.00	100.00	150.00	225.00	450.00	1,250.00
4.5m	14' 9"	82.50	137.50	202.50	300.00	600.00	1,700.00
6.0m	19' 9"	N/A	175.00	N/A	375.00	750.00	2,150.00
7.5m	24' 8"	127.50	212.50	307.50	450.00	900.00	2,600.00
9.0m	29' 7"	150.00	250.00	360.00	525.00	1,050.00	3,050.00
12.0m	39' 5"	195.00	325.00	465.00	675.00	1,350.00	3,950.00
15.0m	49' 3"	240.00	400.00	570.00	825.00	1,650.00	4,850.00
20.0m	65' 7"	315.00	525.00	745.00	1,075.00	2,150.00	6,350.00

Audio & Video Connectors

Connectors

RCA-300

Fits cables up to 7.0 mm O.D.
Gold-Plated. Requires soldering.

	#300 Male	#300 Female
Retail	20.00/Set of 4	

RCA-800

#800 Premium RCA Plugs
Fits cables up to 9.0 mm O.D.
Direct-Silver Plated.
Requires soldering.

Retail	60.00/Set of 4

S-20

S-Video Plug
Fits S-Video cables up to 6.0 mm x 12.0 mm O.D.
Gold-Plated. Requires soldering.

Retail	20.00

XLR Connectors

Fits cables up to 9.0 mm O.D.
Direct-Silver Plated.
Requires soldering.

	#81 Male	#80 Female
Retail	45.00/Pair	

Right-Angle RCA, BNC and F Pin Plugs

Fits cables up to 7.5 mm O.D.
Gold-Plated. Requires soldering.

	RCA-90°	BNC-90°	F-90°
Retail	20.00/Pair		

RCA	BNC	F

75Ω Splitters in Retail Packaging

F → 2F
5 MHz - 2 GHz

Retail	16.95

F → 3F
5 MHz - 2 GHz

Retail	21.95

F → 4F
5 MHz - 2 GHz

Retail	25.95

Instant Tool-less Connectors (ITC)

ITC-24, ITC-18
Just Push!



Packs of 50

ITC 50 Pack with Stickers

Easy-to-Apply, color bands for all models of ITC plugs

Color Bands for ITC Connectors

Red	Blue	Yellow	Purple	Green
Black	White	Fluorescent Blue	Fluorescent Yellow	Fluorescent Green

Silicon rubber bands fit all ITC connectors – even after they're attached to the cable – for easy cable identification. Available in bags of 20. One color per bag – no mixed colors. Available in 10 colors (please see above).

Retail	3.75/Bag of 20

ITC-18

Can be used with most 18 AWG RG-6 size coax cables with OD between 6.0mm and 7.2mm.

	Nickel	Retail
ITC-18N/RCA		147.50/50 (2.95 Each)
P/N 68-010-04		
ITC-18N/BNC		200.00/50 (4.00 Each)
P/N 68-011-04		
ITC-18N/F		83.75/50 (1.68 Each)
P/N 68-009-04		
	Gold	**Retail**
ITC-18G/RCA		181.25/50 (3.63 Each)
P/N 68-010-53		
ITC-18G/BNC		236.25/50 (4.73 Each)
P/N 68-011-53		
ITC-18G/F		108.75/50 (2.18 Each)
P/N 68-009-53		

ITC-24

Can be used with 24 AWG ITC based coax cables made by AudioQuest.

	Nickel	Retail
ITC-24N/RCA		147.50/50 (2.95 Each)
P/N 68-002-04		
ITC-24N/BNC		200.00/50 (4.00 Each)
P/N 68-003-04		
ITC-24N/F		147.50/50 (2.95 Each)
P/N 68-001-04		
	Gold	**Retail**
ITC-24G/RCA		181.25/50 (3.63 Each)
P/N 68-002-53		
ITC-24G/BNC		236.25/50 (4.73 Each)
P/N 68-003-53		
ITC-24G/F		181.25/50 (3.63 Each)
P/N 68-001-53		

Retail Packaging

OSS-18/24 (68-064-01)

ITC One-Step Stripper for 18 & 24 AWG

Stripping Tool for All ITA, ITV, HD6 & MAC Cables.

Retail
15.00

Satellite, Antenna, Cable Television

ITC-18/2F

2 x ITC-18/F Pins with Blue Bands

Retail
9.00/2 Pack

Subwoofer, Video, Digital Audio

ITC-18/2RCA

2 x ITC-18/RCA Plugs with Purple Bands

Retail
11.00/2 Pack

CL3/FT4 Analog-Audio, Mini-Coax & RG-6 Cables on Spools

Analog-Audio Cables: Balanced (XLR) or Single-Ended (RCA)

River Interconnect Crimping Tool required.
See page 47 for details.



Red River



Mackenzie

Red River XLR

Red River Plugs: Cold-Welded, Gold-Plated

Retail
80.00 (Set of 4)
800.00 (10 Sets of 4)

Red River RCA

Retail
60.00 (Set of 4)
600.00 (10 Sets of 4)

Mackenzie XLR

Mackenzie Plugs: Cold-Welded, Hanging-Silver directly over pure Purple Copper

Retail
120.00 (Set of 4)
1,200.00 (10 Sets of 4)

Mackenzie RCA

Retail
120.00 (Set of 4)
1,200.00 (10 Sets of 4)

Plug	N/A	N/A
Metal	Solid Long-Grain Copper	Solid PSC+
Geometry	Triple-Balanced (Separate Ground-Reference Conductor)	Triple-Balanced (Separate Ground-Reference Conductor)
Dielectric	Foamed-Polyethylene	Foamed-Polyethylene
Noise-Dissipation System	Metal-Layer Noise-Dissipation System	Carbon-Based 3-Layer Noise-Dissipation System
CL3/FT4 Jacket	Black/Red PVC	Black/Brown PVC
Length	**Retail**	**Retail**
Per Meter	**10.00**	**20.00**
164 ft. Spool (50m)	**N/A**	**1,000.00**
328 ft. Spool (100m)	**1,000.00**	**N/A**

ITA: 2 channel audio (easy pull-apart) Instant Tool-less Audio – use ITC-24

ITV: Instant Tool-less Video – use ITC-24

ITA-1/1

ITA-3/3

ITA-5/5

ITV-G

ITV-1

ITV-3

Center Conductor Metal	Solid LGC	Solid PSC	Solid PSC+	Solid 1.25% Silver	Solid 2.5% Silver	Solid 6.1% Silver
Neg. Conductor/Shield	LGC HyperLitz	PSC HyperLitz	PSC+ HyperLitz	Foil + Tinned Braid	Silver-Plated Braid	Silver-Plated Braid
CL3/FT4 Jacket	Blue (Pair)	Green (Pair)	Dark Gray (Pair)	Dark Gray, Off White, Red, Blue, Green, Yellow & Green	Dark Gray or Off White	Dark-Gray or Off White
Length	**Retail**	**Retail**	**Retail**	**Retail**	**Retail**	**Retail**
50 ft. Spool (15m)	**84.00 (1.68/ft.)**	**N/A**	**N/A**	**N/A**	**N/A**	**N/A**
250 ft. Spool (76m)	**420.00 (1.68/ft.)**	**750.00 (3.00/ft.)**	**1,200.00 (4.80/ft.)**	**N/A**	**N/A**	**N/A**
500 ft. Spool (152m)	**900.00 (1.80/ft.)**	**N/A**	**N/A**	**380.00 (0.76/ft.)**	**620.00 (1.24/ft.)**	**1,040.00 (2.08/ft.)**

HD6: 18 AWG 75Ω Cables: Instant Tool-less Video, RF, Digital, Subwoofer – use ITC-18

HD6 Pearl

HD6 Forest

HD6 Carbon

Center Metal	Solid Conductive-Coated Copper	Solid 0.5% Silver	Solid 5% Silver
Shield	3-Layer Shield: Foil + 90% Braid + Foil	3-Layer Shield: Foil + 90% Braid + Foil	4-Layer Shield: Carbon-Loaded PE + Foil + 90% Braid + Foil
CL3/FT4 Jacket Color Choices:	Dark Gray/White Stripes	Dark Gray/Green Stripes	Dark Gray/Black Stripes
	White/Gray Stripes	White/Gray Stripes	White/Gray Stripes
	Yellow/Gray Stripes	Green/Dark Gray Stripes	Black/Dark Gray Stripes
Length	**Retail**	**Retail**	**Retail**
250 ft. Spool (76m)	*N/A*	*N/A*	**750.00 (3.00/ft.)**
500 ft. Spool (152m)	**300.00 (0.60/ft.)**	**700.00 (1.40/ft.)**	*N/A*

CL3/FT4 Custom-Installation Cables on Spools

Direct-Burial Flexible (FLX) Speaker-Cable Series: CL3/FT4

	FLX/DB-16/2	FLX/DB-16/4	FLX/DB-14/2	FLX/DB-14/4
				
Metal	Semi-Solid Concentric Packed Long-Grain Copper (LGC)			
Gauge	2 x 16 AWG	4 x 16 AWG (2 x 13 AWG)	2 x 14 AWG	4 x 14 AWG (2 x 11 AWG)
CL3/FT4 Jacket	PVC White/Black Stripe or Dark Gray/Black Stripe			
Foot Markers	Sequentially Numbered 1-500 ft. (showing how many feet remaining)			
Length	**Retail**	**Retail**	**Retail**	**Retail**
500 ft. Spool (152m)	**398.00 (0.80/ft.)**	**638.00 (1.28/ft.)**	**518.00 (1.04/ft.)**	**878.00 (1.76/ft.)**

SLiP In-Wall Speaker-Cables: CL3/FT4

	SLiP 16/2	SLiP 16/4	SLiP 14/2	SLiP 14/4
				
Metal	Semi-Solid Concentric Packed Long-Grain Copper (LGC)			
Gauge	2 x 16 AWG	4 x 16 AWG (2 x 13 AWG)	2 x 14 AWG	4 x 14 AWG (2 x 11 AWG)
CL3/FT4 Jacket	PVC White/Silver Stripe or Gray/Red Stripe			
Foot Markers	Sequentially Numbered 1-500 ft. (showing how many feet remaining)			
Length	**Retail**	**Retail**	**Retail**	**Retail**
500 ft. Spool (152m)	**378.00 (0.76/ft.)**	**598.00 (1.20/ft.)**	**478.00 (0.96/ft.)**	**838.00 (1.68/ft.)**

Plenum-Rated Flexible (FLX) Speaker-Cable Series

	FLX/PL-16/2	FLX/PL-16/4
Metal	Semi-Solid Concentric Packed Long-Grain Copper (LGC)	
Gauge	2 x 16 AWG	4 x 16 AWG (2 x 13 AWG)
Plenum Jacket	Candy-Apple Red PVC	
Foot Markers	Sequentially Numbered 1-500 ft. (showing how many feet remaining)	
Length	**Retail**	**Retail**
500 ft. Spool (152m)	**466.00 (0.94/ft.)**	**746.00 (1.50/ft.)**

Termination "Pants" (Full-Range Only)

Model	Part #:
FLX/DB-14/2	PANTUNIV**S**
FLX/DB-14/4	PANTUNIV**L**
FLX/DB-16/2	PANTUNIV**S**
FLX/DB-16/4	PANTUNIV**S**
SLiP-14/2	PANTUNIV**S**
SLiP-14/4	PANTUNIV**L**
SLiP-16/2	PANTUNIV**S**
SLiP-16/4	PANTUNIV**S**
Retail	**12.00/Set of 4**

Full-Range

Universal termination "pants" shown.

Custom-Installation Speaker-Cables on Spools

Solid-Conductor HyperLitz: CL3/FT4







Metal	Solid Long-Grain Copper (LGC)		Solid PSC+	Solid PSS
Gauge	16 AWG	15 AWG		
Geometry	Star-Quad			
Dielectric	Foamed-Polyethylene (For All Positive Conductors)			
Noise-Dissipation System	No	Cross-Talk-Dissipation System		
CL3/FT4 Jacket	PVC: Dark Gray or Off-White	PVC: Black/Blue Stripes or Off-White; Braid: Black/Blue	PVC: Black/Brown Stripes; Braid: Black/Brown	Braid: Black/Gray (Not CL3/FT4 In-Wall Rated)
Single-BiWire Capable	No			
Foot Markers	Sequentially Numbered 1-164 or 1-328 ft. (showing how many feet remaining)			
Retail	**2.95/ft.**	**5.00/ft.**	**15.00/ft.**	**400.00/ft.**
Spool Size	328 ft. (100m)	328 ft. (100m)	164 ft. (50m)	N/A





Metal	Solid PSC / LGC	Solid PSC+ / PSC	Solid Perfect-Surface Copper+ (PSC+)
Gauge	14 AWG	13 AWG	
Geometry	Double Star-Quad		
Dielectric	Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation System	Cross-Talk-Dissipation System		
CL3/FT4 Jacket	PVC: Black/Red Stripes	PVC: Matte Black/Shiny Black Stripes	PVC: Black/Green Stripes
Single-BiWire Capable	Yes		
Foot Markers	Sequentially Numbered 1-164 or 1-328 ft. (showing how many feet remaining)		
Retail	**8.50/ft.**	**15.00/ft.**	**25.00/ft.**
Spool Size	164 ft. (50m) or 328 ft. (100m)	164 ft. (50m)	164 ft. (50m)

Termination "Pants" for Speaker Cables

For FLX/DB and SLiP "Pants," see page 43.

Model	Model Specific: Full-Range Part Number:	Model Specific: Single-BiWire Part Number:	Universal: Full-Range Part Number:
Type 2	68-095-01	N/A	PANTUNIV**S**
Type 4	68-096-01	N/A	PANTUNIV**L**
GO-4	N/A	N/A	PANTUNIV**L**
Q^2	N/A	N/A	PANTUNIV**L**
Rocket 33	68-100-01	68-100-21	N/A
Rocket 44	68-101-01	68-101-21	N/A
Rocket 88	68-102-01	68-102-21	N/A
Retail	**12.00/Set of 4**	**12.00/Set of 4**	**12.00/Set of 4**

Installer (“i”) Series HDMI Adaptors, Couplers and Wall Plates in Packs of 5 (No Retail Packaging)

HDMI/i series: for specifications see packaged cables elsewhere in this price book

Meter	Feet	HDMI/i Pearl	HDMI/i Forest	HDMI/i Cinnamon	HDMI/i Chocolate
0.6m	2’ 0”	Retail (Each Cable) 26.00	Retail (Each Cable) 39.00	Retail (Each Cable) 63.00	Retail (Each Cable) 89.00
1.0m	3’ 4”	29.00	49.00	69.00	99.00
1.5m	5’ 0”	34.00	59.00	85.00	119.00
2.0m	6’ 7”	39.00	69.00	99.00	139.00
3.0m	10’ 0”	49.00	89.00	129.00	179.00
5.0m	16’ 5”	99.00	139.00	199.00	289.00

HDMI 90°/W
Wide Side [W] Right Angle Bend

Part Number: 69-051-51

Retail 14.95 Each

HDMI 90°/N
Narrow Side [N] Right Angle Bend

Part Number: 69-046-51

Retail 14.95 Each

HDMI 90° NU/R
Narrow Up [NU] Bends Right

Part Number: 69-055-11

Retail 14.95 Each

HDMI 90° NU/L
Narrow Up [NU] Bends Left

Part Number: 69-056-11

Retail 14.95 Each

HDMI Coupler
Female HDMI to Female HDMI

Part Number: 69-050-51

Retail 14.95 Each

HDMI Wall Plate and Single Frame



Part Number: 69-056-51

Retail 15.00 Each

HDMI Wall Plate and Double Frame



Part Number: 69-055-51

Retail 20.00 Each

HDMI Module Pigtail

Part Number: 69-057-51

Retail 15.00 Each

HDMI Module Straight

Part Number: 69-053-51

Retail 10.00 Each

HDMI Module 90°

Part Number: 69-054-51

Retail 10.00 Each

Installer ("i") Series Cables in Packs of 5 (No Retail Packaging)

iPacks

Time, space, and money … all finite resources for any installer, all of which are conserved with AQ's iPacks. These 5-packs of cables ship with no retail packaging, take up less space on the truck and reduce waste to dispose of on the job. iPacks save a bit of money too, and each bag includes easy-to-remove stickers that offer an immediate visual inventory of how many cables are left in the bag, and assist in billing for each and every cable installed in a job. iPacks are an installer's best friend.

Tower/i Audio Interconnect

Golden Gate/i Audio Interconnect

0.6m: available in RCA ↔ RCA only.
1.0m, 2.0m & 3.0m: available in RCA ↔ RCA, 3.5mm ↔ RCA and 3.5mm ↔ 3.5mm.

Meter	Feet	Retail (Each Cable)	Retail (Each Cable)
0.6m	2' 0"	23.00	65.00
1.0m	3' 4"	25.00	69.00
2.0m	6' 7"	30.00	79.00
3.0m	10' 0"	35.00	89.00

RJ/E/i Pearl

RJ/E/i Forest

RJ/E/i Cinnamon

Optical/i Forest

Optical/i Cinnamon

Meter	Feet	Retail (Each Cable)	Retail (Each Cable)	Retail (Each Cable)	Retail (Each Cable)	Retail (Each Cable)
0.75m	2' 6"	25.00	39.00	75.00	29.00	65.00
1.5m	5' 0"	29.00	49.00	89.00	35.00	79.00
3.0m	10' 0"	45.00	69.00	119.00	49.00	109.00
5.0m	16' 5"	65.00	99.00	159.00	N/A	N/A

Alpha-Snake/i Audio Interconnect

X-Snake/i Audio Interconnect

YIQ-A/i Component Video

VDM-X/i Digital Audio/Composite Video

Meter	Feet	Retail (Each Cable)	Retail (Each Cable)	Retail (Each Cable)	Retail (Each Cable)
0.5m	1' 8"	16.50	34.00	N/A	N/A
1.0m	3' 4"	19.00	44.00	23.50	28.50
2.0m	6' 7"	24.00	64.00	38.50	38.50
3.0m	10' 0"	29.00	84.00	53.50	8.50

NRG-X2/i – 2-Pole AC Cable

NRG-X3/i – 3-Pole AC Cable

FLX-A/i Splitter

M22F F22M



Meter	Inches	Retail (Each Cable)	Retail (Each Cable)
0.2m	8"	43.00	57.00
0.4m	16"	46.00	62.00
0.6m	24"	49.00	67.00
0.9m	36"	54.00	75.00

Retail (Each Cable)
8.50

For HDMI/i packs, please see page 45.

Tools

All the tools necessary to cut, strip, prepare and terminate any AQ cable

HD Field Termination Crimping Tool

Retail	100.00

HD Field Termination Tester

Retail	168.00

Cat6/6a/7 Crimping Tool & Die

Cat6 Die included

Also available separately

Tool - Retail	96.00
Die - Retail	20.00

River Interconnect Crimping Tool

Use with either Red River or Mackenzie RCA or XLR plugs

Retail	330.00

ITC One-Step Stripper for 18 & 24 AWG Coax Cables

Stripping Tool for ITA, ITV & HD6

Retail	15.00

Klein Cable Cutter

Retail	122.00

Wire Stripper/Cutters/Pliers Combo Tool

Retail	40.00

Klein Crimping Tool

For Connectors up to 10 AWG

Retail	122.00

Ideal Articulated Stripper



For 8 – 22 AWG Conductors

Retail	122.00

Paladin Jacket Stripper

Cleanly and Easily Removes the Jacket on All AQ Interconnects and Speaker Cables

Retail	145.00

AQ Ratchet Crimping Tool

For up to 8 AWG Conductors

Retail	194.00

AQ Silver Solder

Easy to Use; Clearly Sounds Better 454 g. (1 lb.) Spool

Retail	200.00

AQ Branded Promotional Items

T-Shirt

100% lightweight, preshrunk cotton. Black with red AudioQuest logo. Made by Port and Company®. Sizes: S-3XL

Retail	20.00

Polo Shirt

Stays cool, looks sharp, travels well. ClimaLite® technology. Black with silver AudioQuest logo. Made by adidas®. Mens: S-2XL Womens: S-L

Retail	40.00

Sweatshirt

60/40 cotton/polyester. Front pouch with earphone outlet. 2-ply hood with contrast liner. Black with red accents. Red AudioQuest logo. Sizes S-3XL.

Retail	59.00

Backpack

Lightweight, padded laptop & tablet pockets, fits 15.6" screen laptop & iPad, earphone outlet, mesh bottle pockets. Black with silver AudioQuest and Four Elements logos.

Retail	49.00

Chino Washed Cotton Baseball Cap

Durable, structured front holds its shape, adjustable Velcro fastener for secure fit. One size fits all. Black with red AudioQuest logo.

Part Number: CAPBLACK

Retail	15.00

Beanie

Stylish, super-stretch fine-gauge acrylic. One size fits all. Black, gray and red with red AudioQuest logo.

Part Number: BEANIE

Retail	15.00

Pen

Smooth writing style with piano black lacquered tube with chrome accents. AudioQuest logo on top.

Part Number: PENBALL

Retail	24.95

Mug

Attractive ceramic cup. Perfect for hot beverages. Black with red AudioQuest logo.

Part Number: AQMUG

Retail	12.95

Water Bottle

As pure as drinking from a glass - with all the advantages of a flexible bottle. Purist 26 oz. low-density polyethylene plastic. BPA-Free and recyclable. Clear with Wolves artwork. Made by Specialized™.

Part Number: H20BOTTLE

Retail	12.95

Notes

Index

1000 Series Multi-Spades and Bananas	24
500 Series Multi-Spades and Bananas	24
AC Power Plugs	34
Adaptors: – HDMI – HDMI iPack – IEC – RCA – USB	20 45 34 11 16
AES/EBU Cables	15
Alpha-Snake/i – Installer Series Cables	46
Analog-Audio Interconnect Cables	6–9
Angel – Analog-Audio Interconnect Cable	7
Aspen – Prepared Speaker Cable	28
Backpack – AQ Branded Promotional Item	48
Baseball Cap – AQ Branded Promotional Item	48
Beanie – AQ Branded Promotional Item	48
Big Sur – Analog-Audio Interconnect Cable	6
Binding-Post Wrench	37
BiWire Jumper: Copper (PSC+), Silver (PSS)	31
Black Lab – Subwoofer Cable	10
Boxer – Subwoofer Cable	10
Carbon – AES/EBU Cable	15
Carbon – CAT700 Cable	21
Carbon – Digital Coax Cable	14
Carbon – FireWire Cable	18
Carbon – HD6 Cable	42
Carbon – HDMI & MHL Cable	19
Carbon – USB Cable	17
Castle Rock – Prepared Speaker Cable	27
Cat6 and Cat6a/Cat7 Connectors	21
Cat600 FMJ	21
Cat600/CAT700 Cables	21
Cat6/6a/7 Crimping Tool, Die	21, 47
Cat6a/7 Telegärtner Male Connector	21
Chocolate – HDMI Cable	19
Chocolate – HDMI/i Installer Series Cables	45
Cinnamon – AES/EBU Cable	15
Cinnamon – Digital Coax Cable	14
Cinnamon – FireWire Cable	18
Cinnamon – HDMI Cable	19
Cinnamon – HDMI/i Installer Series Cables	45
Cinnamon – Optical Digital-Audio Cable	16
Cinnamon – Optical/i – Installer Series Cables	46
Cinnamon – RJ/E Cable	22
Cinnamon – RJ/E/i – Installer Series Cables	46
Cinnamon – USB Cable	17
CleanScreen – HDMI, Kit, Laptop, Pen Displays	38
Coffee – AES/EBU Cable	15
Coffee – Digital Coax Cable	14
Coffee – HDMI Cable	19
Coffee – USB Cable	17
Color Bands for ITC Connectors	41
Colorado – Analog-Audio Interconnect Cable	9
Columbia – Analog-Audio Interconnect Cable	9
Comet – Prepared Speaker Cable	27
Connector: – Spade, Pin and Banana – Audio & Video	24 40
Cougar – Tonearm Cable	12
Custom Leg Length Option (Victoria, Yosemite, Angel)	7
Diamond – AES/EBU Cable	15
Diamond – Digital Coax Cable	14
Diamond – FireWire Cable	18
Diamond – HDMI Cable	19
Diamond – Optical Digital-Audio Cable	16
Diamond – RJ/E Cable	22
Diamond – USB Cable	17
Digital Coax Cables	14
Double BiWire Termination	23
DragonFly DAC (v1.2)	4
DragonTail USB 2.0 Extender	4, 16
DVI-IN > HDMI-OUT Adaptor	20
Evergreen – Analog-Audio Interconnect Cable	6
F-90° – Audio/Video Adaptor	11
F<>F – Audio/Video Adaptor	11
F>2F, F>3F, F>4F Splitters	40
F>BNC MALE – Audio/Video Adaptor	11
F>RCA MALE – Audio/Video Adaptor	11
FireWire Cables	18
FLX-A/i Splitters – Installer Series	46
FLX-Mini Splitter, -Mini/RCA Adaptor, -X RCA Splitters	11
FLX/DB-14/2, 14/4, 16/2, 16/4 – Direct-Burial Flexible Speaker Cables	43
FLX/PL-16-2, 16/4 – Plenum-Rated Flexible (FLX) Speaker Cables	43
Forest – CAT700 Cable	21
Forest – Digital Coax Cable	14
Forest – FireWire Cable	18
Forest – HD6 Cable	42
Forest – HDMI Cable	19
Forest – HDMI/i Installer Series Cables	45
Forest – Optical Digital-Audio Cable	16
Forest – Optical/i – Installer Series Cables	46
Forest – RJ/E Cable	22
Forest – RJ/E/i – Installer Series Cables	46
Forest – USB Cable	17
FT-4 – Unterminated Speaker Cable	31

Index

Full-Range Termination	23
Full-Range Termination Pants	32, 43, 44
G2 – Unterminated Speaker Cable	31
G4 – Unterminated Speaker Cable	31
GO-4 – Custom Installation Speaker Cable on Spools	44
GO-4 – Prepared Speaker Cable	25
GO-4 – Unterminated Speaker Cable on Spools	32
Golden Gate – Analog-Audio Interconnect Cable	6
Golden Gate/i – Installer Series Cables	46
GQ-300W – Component Video/Stereo Audio Cable for Nintendo Wii™	39
Hard Mini/RCA Adaptor	11
Hard RCA Splitter – Audio/Video Adaptor	11
HD Field Termination Crimping Tool, Tester	47
HD6 Cables	42
HDFT Cables – 628, 624 Cables	20
HDFT Plugs, Starter Kit	20
HDMI 90° NU/L, 90° NU/R, 90°/N, 90°/W	20
HDMI 90°/N, 90° NU/L, 90° NU/R, 90°/W – Installer Series	45
HDMI A > C, A > C & D, A > D Adaptors	20
HDMI Cables	19
HDMI Coupler	20
HDMI Coupler/i – Installer Series	45
HDMI M1 Wall Plate, HDMI M2 Wall Plate	20
HDMI Module 90°, Pigtail, Straight – Installer Series	45
HDMI Slinky	18
HDMI Wall Plate & Single/Double Frame – Installer Series	45
HDMI-IN > DVI-OUT	20
HL-5 Headshell Leads	12
How to Order Interconnect Cables	5, 8
How to Order Prepared Speaker Cables	23
Husky – Subwoofer Cable	10
Ideal Articulated Stripper	47
IEC-90/1, -90/2 IEC Adapators – Female to Male	34
IEC>3US Power Strip	34
iPod 30-pin-to-Mini-USB 2.0 Adaptor	16
Irish Red – Subwoofer Cable	10
ITA-1/1, ITA-3/3, ITA-5/5 – 2 Channel Audio Cables	42
ITC 50 Pack with Stickers	41
ITC One-Step Stripper (OSS-18/24)	41, 47
ITC Satellite, Antenna, Cable Television (ITC-18/2F)	41
ITC Subwoofer, Video, Digital Audio (ITC-18/2RCA)	41
ITC-18, -24 Connectors	41
ITV-1, ITV-3, ITV-G – Instant Tool-less Video Cable	42
K2 – Prepared Speaker Cable	27
KE-4 – Custom Installation Speaker Cable on Spools	44
KE-4 – Prepared Speaker Cable	25
KE-4 – Unterminated Speaker Cable on Spools	32
Klein Cable Cutter	47
Klein Crimping Tool	47
LeoPard – Tonearm Cable	12
Lightning Plug	17
M21F-90° – Audio/Video Adaptor	11
Mackenzie – Analog-Audio Cable on Spools	42
Mackenzie – Analog-Audio Interconnect Cable	8
Mackenzie – RCA, XLR	42
Meteor – Prepared Speaker Cable	27
MHL Carbon + Adaptor	18
MHL Slinky + Adaptor	18
MHL to HDMI Adaptor	20
Mini Display Port to HDMI Adaptor	20
Mug – AQ Branded Promotional Item	48
Niagara – Analog-Audio Interconnect Cable	9
Noise-Stopper Caps (RCA, XLR Input & Output)	37
NRG WEL Signature Series – AC Power Cable	36
NRG Wild – AC Power Cable	36
NRG-1 – AC Power Cable	35
NRG-1.5 – AC Power Cable	35
NRG-10 – AC Power Cable	36
NRG-1000 – AC Power Cable	36
NRG-1000 (Wall Plug, IEC C-13 15 AMP & IEC C-19 20 AMP) – AC Power Plugs	34
NRG-2 – AC Power Cable	36
NRG-4 – AC Power Cable	36
NRG-500 (Wall Plug, IEC C-13 15 AMP & IEC C-19 20 AMP) – AC Power Plugs	34
NRG-X2 – AC Power Cable	35
NRG-X2/i – Installer Series Cables	46
NRG-X3 – AC Power Cable	35
NRG-X3/i – Installer Series Cable	46
Oak – Prepared Speaker Cable	28
Optical Digital-Audio Cables	16
Paladin Jacket Stripper	47
Pants: – FLX, SLiP – GO-4, Q^2, Rockets, Type 2, Type 4	43 32, 44
Pearl – CAT600 (DCP), CAT700 Cables	21
Pearl – HD6 Cable	42
Pearl – HDMI Cable	19
Pearl – HDMI/i - Installer Series Cables	45
Pearl – RJ/E Cable	22
Pearl – RJ/E/i – Installer Series Cables	46
Pearl – USB Cable	17
Pen – AQ Branded Promotional Item	48
Polo Shirt – AQ Branded Promotional Item	48
Power Cables	35, 36
PreAmp Jumpers	37
PSC BiWire Jumpers	37

Index

Q² – Unterminated Speaker Cable	31
Q Feet, SorboGel	12, 37
Ratchet Crimping Tool, AQ	47
RCA Connectors (-300, -800, S-20, BNC, F Pin, Right Angle, XLR)	40
RCA<>BNC – Audio/Video Adaptor	11
RCA<>RCA – Audio/Video Adaptor	11
RCA Noise-Stopper Caps	37
Record Brush	12
Red River – Analog-Audio Cable on Spools	42
Red River – Analog-Audio Interconnect Cable	8
Red River – RCA, XLR	42
Redwood – Prepared Speaker Cable	28
REL Acoustic Stereo™ High-Level Subwoofer Cable	23
Right-Angle Plugs (BNC, F Pin, RCA)	40
River Interconnect Crimping Tool	47
RJ/E Cables	22
Rocket 33, 44, 88 – Custom Installation Speaker Cables	44
Rocket 33, 44, 88 – Prepared Speaker Cables	26
Rocket 33, 44, 88 – Terminations	23
Rocket 33, 44, 88 – Unterminated Speaker Cables	32
S-20 – S-Video Plug	40
S-A, S-G – S-Video Cables	39
Silver Solder, AQ	47
Single BiAmp Termination	23
Single BiWire Termination	23
Single BiWire Termination Pants	32, 44
Sky – Analog-Audio Interconnect Cable	9
Slinky – HDMI & MHL	18
SLiP 14/2, 14/4, 16/2, 16/4 – In-Wall Speaker Cables	43
SorboGel Q-Feet System	12, 37
Sorbothane Self-Stick Sheet	12
Splitters	11, 40
Speaker Cables – CL3/FT4	42–44
Speaker Cables – Prepared	25–29
Speaker Cables – Unterminated	31, 32
Subwoofer Cables	10
SureGrip Spades, BFA/Bananas	24
Sweatshirt – AQ Branded Promotional Item	48
Sydney – Analog-Audio Interconnect Cable	7
T-Shirt – AQ Branded Promotional Item	48
Telegärtner Male Connector for Cat6a/Cat7	21
Termination Pants	32, 43, 44
Terminations	23
Tonearm Cables	12
Toslink Mini Adaptor	16
Tower – Analog-Audio Interconnect Cable	6
Tower/i – Installer Series Cables	46
Type 2 – Custom-Installation Speaker Cable	44
Type 2 – Unterminated Speaker Cable on Spools	32
Type 4 – Custom-Installation Speaker Cable	44
Type 4 – Prepared Speaker Cable	25
Type 4 – Unterminated Speaker Cable on Spools	32
USB B-to-Micro 2.0 Adaptor	16
USB Cables	17
USB Mini-to-Micro 2.0 Adaptor	16
VDM-X/i – Installer Series Cables	46
Victoria – Analog-Audio Interconnect Cable	7
Vodka – HDMI Cable	19
Vodka – Optical Digital-Audio Cable	16
Vodka – RJ/E Cable	22
Voltage Upgrade Kit for DBS	37
Water Bottle – AQ Branded Promotional Item	48
WEL Signature – AES/EBU Cable	15
WEL Signature – Analog-Audio Interconnect Cable	9
WEL Signature – Digital Coax Cable	14
WEL Signature – Tonearm Cable	12
WEL Signature – Prepared Speaker Cable	29
WEL Signature, NRG – AC Power Cable	36
Wii™ – Video/Stereo Audio Cable for Nintendo (GQ-300W)	39
Wild – AES/EBU Cable	15
Wild – Digital Coax Cable	14
Wild Blue Yonder – Analog-Audio Interconnect Cable	9
Wild Dog – Subwoofer Cable	10
Wild LP – Tonearm Cable	12
Wild Wood – Prepared Speaker Cable	29
Wild, NRG – AC Power Cable	36
Wildcat – Tonearm Cable	12
Wire Stripper/Cutters/Pliers Combo Tool	47
Wolf – Subwoofer Cable	10
X-Snake/i – Installer Series Cables	46
X2 – Unterminated Speaker Cable	31
XLR Connectors	40
XLR Input/Output Noise-Stopper Caps	37
YIQ-1, -3, -5, -A, -G, -X – Component Video Cables	39
YIQ-A/i – Installer Series Cables	46
Yosemite – Analog-Audio Interconnect Cable	7
Yukon – Analog-Audio Interconnect Cable	8

Prices, specifications and designs subject to change without notice. © 2014 AudioQuest. All rights reserved.

audioquest®